



OFFICE OF THE ANGUL MUNICIPALITY, ANGUL
EXPRESSION OF INTEREST (EOI)

Notice No. 2200 Dt 01/07/2025

Executive Officer, Angul municipality Angul invites on offline mode sealed Expression of Interest (Eoi) in conformity with detailed tender call notice from interested/ intending eligible Original Manufacturer/ Dealer of fountain and play equipment for the following works.

Sl	Name of Location/ Areas	Qty	TP Cost	EMD Cost	Completion Period
1	2	3	4	5	6
1	Beautification works near Raaz hotel square at Angul municipality, Angul	Mention in BoQ	₹ 6,000.00	₹ 20,000.00	6 calender months
2	Fitting and fixing of decorative benches and traffic bollards at different location of Angul municipality	Mention in BoQ	₹ 6,000.00	₹ 20,000.00	12 calender months
3	Repair & Re-installation of existing equipment, replacement (where ever required) with Operation & Maintenance and upkeep of outdoor Child play & Open Air Gym equipments installed at different locations for a period of 3 years under Angul Municipality.	Mention in BoQ	₹ 10,000.00	₹ 50,000.00	36 calender months

- 3 The Eoi document/ DTCN alongwith specification, terms & conditions are available in the Angul district portal i.e. www.angul.nic.in from dt.03.07.2025, 10.00 AM to dt.14.07.2025 upto 5:00 PM on payment of tender paper cost (not refundable) mentioned in column.4 of above table against the work in shape of Bank Draft/ Banker cheque drawn on any Nationalized Bank of in favour of Executive Officer, Angul Municipality, Angul payable at
- 4 The completed & sealed Expression of Interest (Eoi) should be sent on or before dt. 16.07.2025 upto 1.30 PM to the Executive Officer, Angul municipality through registered/ Speed post or in person only.
- 5 The Expression of Interest (Eoi) will be opened in the presence of tender committee on dt.16.07.2025 at 4.00 PM in the chamber of Executive Officer, Angul municipality, Angul in the presence of the bidders or their authorized representatives who wish to attend.
- 6 The authority reserves the right to accept or cancel any or all quotations without assigning any reason thereof.

Memo 2261⁽⁴⁾ Dt 01/07/2025

Copy to ADM, Angul / PD, DUDA, Angul/ Sub- Collector, Angul/ SE, R&B, Division, Angul for information and necessary action. They are requested to display Eoi on the office notice board for wide publication.

Copy to Municipality office notice board for wide publication.

Memo No. 2262⁽³⁾ / Date 01/07/2025

Copy to Accountant/ Cashier/ MIS for information and necessary action.

Cashier is directed to receive the documents cost and issue documents to bidder and EMD amount.

Memo No 2263 / Dt 01/07/2025


Copy to NIC, Angul for information and request to uploading of Eoi documents in www.angul.nic.in for wide circulation:

Executive Officer
Angul Municipality

Executive Officer
Angul Municipality

Executive Officer
Angul Municipality

Executive Officer
Angul Municipality



OFFICE OF THE MUNICIPAL COUNCIL, ANGUL

No 2264 dt 01/07/2025

Expression of Interest

Executive Officer on behalf of Angul municipality invites on offline mode sealed Expression of Interest (Eoi) in conformity with detailed tender call notice from intrested/ intending eligible agency for three nos of works. DTCN along with term& conditions can be downloaded from Angul district portal i.e. www.angul.nic.in from dt.03.07.2025, 10.00 AM to dt.14.07.2025 upto 5:00 PM


Executive Officer
Angul Municipality

Memo No 2265/dt 01/07/2025.

Copy to The Director, I & PR Department, Government of Odisha, Bhubaneswar with a request to publish the "Expression of Interest" in an Odia and English daily for one day before dt.03. 07.2025 for wide publication


Executive Officer
Angul Municipality



Part-II

Financial Bid




BOQ "A"

BoQ for the work:- “Repair & Re-installation of existing equipment, replacement (where ever required) with Operation & Maintenance and upkeep of outdoor Child play & Open Air Gym equipments installed at different locations for a period of 3 years under Angul Municipality”


BoQ "A":- * Rate to be quoted for Repair & Maintenance of Installed Children Playground and Open-Air Gym Equipment per year(12 months) for First year, Second Year and Third year.

* Fitted items in the sets are shown in each items


Slno.	Item	Unit	Rate	Amount	
				In Fig	In words
1	2	4	5	6	7
1	Two seated Arch swing AREA: 4' X 10', SAFE AREA:10' X 14', HEIGHT: 7,AGE GROUP: 3-14 Years, SEAT: 04 No, Rubber Seat, Main Pipe: 65mm ID B-Class G.I. Pipe (Minimum 3 mm thick) Top pipe: 50mm ID B-Class G.I. Pipe, Chain: 8 mm SS Chain rubber coated, Colors: Auto Paint, Minimum Gross Weight: -186Kg 400Gm	Per Year			
i	First year	Per Year			
ii	Second year	Per Year			
iii	Third year	Per Year			
2	Merry- Go – Round AREA:5' Dia, SAFE AREA: 10 ' X 10', HIGHT : 2' AGE GROUP - 3-12 Years, SEAT : 04 no, FRP PIPE- 40mm ID - B Class GI pipe Handle :20mm,ID B- Class GI pipe (Minimum 3 mm thick),Colors: Auto Paint, Minimum Gross Weight: 75Kg 200Gm				
i	First year	Per Year			
ii	Second year	Per Year			
iii	Third year	Per Year			
3	Two Seated Seesaw AREA: 6' X 8', SAFE AREA:8' X 10' , HEIGHT: 24" AGE GROUP:2-10 Years, SEAT: 04 No FRP Seat Pipe: Main Pipe: 6' length of 50mm ID, G.I. Pipe, Seating Pipe:8' length of 50mm ID, G.I. Pipe (Minimum 3 mm thick).Colors: Auto Paint,Minimum Gross Weight: - 66Kg 500Gm				
i	First year	Per Year			
ii	Second year	Per Year			
iii	Third year	Per Year			




4	<u>Spiral Slide</u> AREA: 10' X 16', SAFE AREA:15' X 20', HEIGHT: 7 AGE GROUP:3-14 Years, SLIDE: FRP Pipe: DECK Pipe: 50mm ID B-Class G.I. Pipe GRILL: 20mm ID B-Class GI Pipe LADDER: 25mm ID B-Class GI Pipe Step: 16- gauge MS Sheet, Handle:20mm ID B-Class GI Pipe (Minimum 3 mm thick) ,Colors: Auto Paint, Minimum Gross Weight: - - 217 Kg				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			
5	<u>Rainbow Climber</u> Area : 2 X 10 SafeArea : 7' X ' HEIGHT- 6' AGE groups -3- 14 Years, Main Pipe - 40mm ID B - Class GI pipe, LADDER : 25mm ID B-class GI pipes (Minimum 3 mm thick),Colors: Auto Paint, Minimum Gross Weight: - - 56 Kg				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			
6	<u>ABB crunch or Sit-Up Bench</u> (Unit Dimension: 24" (H), 74" (L), 20" (W) Safe Area: 8' X 4' Pipe Size: 40 mm & 25 mm ID B-class GI pipe Seats: FRP, Colors: Auto Paint, Nut & Bolts: S.S Minimum Gross Weight-41 kg				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			
7	<u>Knee/ Hip raise on parallel bars</u> (Unit Dimension: 92" (H), 46" (L), 29" (W) Safe Area: 5' X 4', Pipe Size: 75 mm 50 mm,32 mm & 25 mm ID B-class GI pipe, Colors: Auto Paint, Nut & Bolts: S.S., Minimum Gross Weight-86 kg				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			
8	<u>Bench with fixed dumbbell</u> (Unit Dimension: 30" (H), 112" (L), 24" (W) Safe Area: 14' X 4'Pipe Size: 50 mm & 32 mm ID B-class GI pipe Bearings: NBC/SKF/FAG Colors: Auto Paint, Nut & Bolts: S.S, Minimum Gross Weight-92 kg				



i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			
9	<u>Bench with fixed weight lift</u> (Unit Dimension: 56" (H), 48" (L), 24" (W) Safe Area: 8' X 8' Pipe Size: 50 mm,40 mm & 20 mm ID B-class GI pipe Seats: 25 mm X 50 mm, GI pipe Colors: Auto Paint, Nut & Bolts: S.S. Minimum Gross Weight-80 kg				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			
10	<u>Shoulder Exerciser</u> of approved design and make of minimum product area 1.2 m X 0.9 m (Safe Play area minimum 2.2 m X 2.19m),Colors: Auto Paint , Minimum Gross Weight- - 93 Kg 300Gm				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			
11	<u>Twister</u> (Unit Dimension: 48" (H), 5' (W) Safe Area: 8' X 8' Pipe Size: 100 mm ID B-class GI main pipe Handel: 25 mm ID B-class GI pipe,Step:03noPlastic.Bearings:NBC/SKF/FAG Colors: Auto Paint, Nut & Bolts: S.S, Minimum Gross Weight-68 kg				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			
12	<u>Glider or Set Back/Leg Press</u> (Unit Dimension: 72" (H), 68" (L), 24" (W) Safe Area: 12' x 10' Pipe Size: 100 mm ID B-class GI main pipe Supporting Pipe: 40 mm ID B-class GI main pipe Seats: Plastic Single Step (Plastic)-4Nos, Bearings: - 4 Nos. NBC/SKF/FAG Colors: Auto Paint, Nut & Bolts: S.S, (3/8 x 1½" LN-4,5/16Screw) Minimum Gross Weight-71 kg				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			



13	<u>Air Swing</u> (Unit Dimension: 60" (H), 36" (L), 36" (W) Safe Area: 8' X 8' Pipe Size: 100 mm ID B-class GI main pipe Handel: 25 mm & 20 mm ID B-class GI pipe Seats: Double Step (Plastic)-2Nos Bearings: - 4 Nos. NBC/SKF/FAG Colors: Auto Paint, Nut & Bolts: S.S, (3/8 x 1 1/2" LN-2,5/16Screw) Minimum Gross Weight-82 kg				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			
14	<u>Poles with fixed weight</u> (Unit Dimension: 81" (H), 50" (L), 48" (W) Safe Area: 6' X 4' Pipe Size: : 75 mm,50 mm & 20 mm ID B-class GI pipe), Colors: Auto Paint, Nut & Bolts: S.S ,Minimum Gross Weight-90 kg				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			
15	<u>Walker:</u> Providing and fixing in position WALKER of approved design and make of minimum product area 2.0 m X 0.7 m (Safe Play area minimum 3.0 m X 1.7 M),Colors: Auto Paint, Minimum Gross Weight- 85 Kg 700Gm				
i	<u>First year</u>	Per Year			
ii	<u>Second year</u>	Per Year			
iii	<u>Third year</u>	Per Year			



BOQ "B"

BoQ for the work:- Price bid for Repair & Re-installation of existing equipment, replacement (where ever required) with Operation & Maintenance and upkeep of outdoor Child play & Open Air Gym equipments installed at different locations for a period of 3 years under Angul Municipality.


BoQ "B":- * Rate to be quoted for Supply of spares parts of Children Play and Open-Air Gym per No, Set.

* Items of each sets are shown.


Slno.	Items	Unit	Rate	Amount	
				In fig.	In Words
1	2	4	5	6	7
1	Rubber Coated 8 mm S.S Chain with SS hook	Set			
2	Swing Rubber Seat	Set			
3	Swing Hook Nut with Bearing both side	Set			
4	Swing Hook Plastic	each			
5	Merry go round Seat	each			
6	Merry go round Bearing Unit	each			
7	Pipe End Plastic Cap(2")	each			
8	Pipe End Plastic Cap(2.5")	each			
9	Pipe End Plastic Cap(3")	each			
10	Pipe End Plastic Cap(4")	each			
11	Pipe End Aluminium Cap (4")	each			
12	Sea-Saw Roto/FRP Seat	each			
13	S.S Cap (48mm)	each			
14	S.S Cap (60mm)	each			



15	Plastic Bearing Cap (48mm)	each			
16	Plastic Bearing Cap (60mm)	each			
17	"C" Clamp Pin (20mm)	each			
18	"C" Clamp Pin (25mm)	each			
19	Cirelip Lock (20mm)	each			
20	Cirelip Lock (25mm)	each			
21	Spiral Slide - Roto /FRP (5ft)	each			
22	Spiral Slide - Roto /FRP (6ft)	each			
23	Spiral Slide - Roto /FRP (7ft)	each			
24	Tunnel Slide - Roto (8 ft)	each			
25	Tunnel Slide - Roto (10 ft)	each			
26	Straight Slide- Roto/FRP (10 ft)	each			
27	Wave Slide- Roto/FRP (10 ft)	each			
28	Spider Canopy	each			
29	Turtle Canopy	each			
30	Sunlight Canopy	each			
31	Butterfly Canopy	each			
32	Flower Canopy	each			
33	Leaf Canopy	each			
34	G.I Slide Foot Step	each			
35	Multiplay Plastic Clamps-60 OD	each			
36	Multiplay Plastic Clamps-90 OD	each			
37	Multiplay Plastic Clamps-114 OD	each			
38	Sit-Up Bench FRP Seat	each			



39	Outdoor Plastic GYM Seat	each			
40	Outdoor Plastic Twister Plate	each			
41	Plastic Foot Rest Single	each			
42	Aluminum Foot Rest Double	each			
43	Outdoor Gym 6004 Bearing Pin	each			
44	Outdoor Gym 6004 Bearing Bush	each			
45	Outdoor Gym 6005 Bearing Pin	each			
46	Outdoor Gym 6005 Bearing Bush	each			
47	Outdoor Gym (Twister) Bearing Pin	each			
48	Outdoor Gym (Twister) Bearing Pin	each			
49	Bearing-6004	each			
50	Bearing-6205	each			
51	Bearing-6308	each			
52	Bearing-6310	each			
53	Outdoor Gym "C" clamp (20mm)	each			
54	Outdoor Gym "C" clamp (25mm)	each			
55	Rubber Grip	each			
56	Rubber Stopper Bush	each			
57	Rubber Stopper Bush with Bolt	each			
58	Wheel Gripper	each			
59	Dumbbell (2.5 Kg)	each			
60	Dumbbell (5Kg)	each			
61	Dumbbell Bar (4Ft)	each			
62	Dumbbell Bar (12")	each			



63	3/8" x 1" (Nut & Bolt)	each			
64	3/8" x 1.5" (Nut & Bolt)	each			
65	3/8" x 3"(Nut & Bolt)	each			
66	3/8" x 4" (Nut & Bolt)	each			
67	0.5" x 1"(Nut & Bolt)	each			
68	0.5" x 1.5" (Nut & Bolt)	each			
69	0.5" x 4" (Nut & Bolt)	each			
70	0.5" x 6" (Nut & Bolt)	each			
71	5/16" x 0.5" (Bolt)	each			
72	5/16" x 1.5" (Nut & Bolt)	each			
73	5/16" x 2.5" (Nut & Bolt)	each			
74	8mm x 1.5"(Bolt)	each			
75	0.5"x 3.5" (Bolt)	each			
76	12mm x 4" (Nut & Bolt)	each			
77	100mm base flange	each			
78	Dismantling of base concrete of open gym equipment	each			
79	Installation with base concrete of open gym equipment	each			
80	Dismantling of base concrete of children play equipment	each			
81	Installation with base concrete of children play equipment	each			




BOQ "C"


BoQ for the work:-Price bid for Repair & Re-installation of existing equipment, replacement (where ever required) with Operation & Maintenance and upkeep of outdoor Child play & Open Air Gym equipments installed at different locations for a period of 3 years under Angul Municipality.

BoQ "C": - * Rate to be quoted for Repair & Maintenance supply of Children Playground and Open-Air Gym Equipment per set.

Slno.	Item	Unit	Rate	Amount	
				In Fig	In Word
1	2	4	5	6	7
1	<u>Two seated Arch swing</u> AREA: 4' X 10', SAFE AREA:10' X 14', HEIGHT: 7',AGE GROUP: 3-14 Years, SEAT: 04 No, Rubber Seat, Main Pipe: 65mm ID B- Class G.I. Pipe (Minimum 3 mm thick) Top pipe: 50mm ID B-Class G.I. Pipe, Chain: 8 mm SS Chain rubber coated, Colors: Powder Coating,Minimum Gross Weight: -186Kg 400Gm	Set			
2	<u>Merry-Go-Round</u> AREA:5' Dia, SAFE AREA: 10 ' X 10', HIGHT : 2' AGE GROUP - 3-12 Years, SEAT : 04 no, FRP PIPE- 40mm ID - B Class GI pipe Handle :20mm, ID B- Class GI pipe (Minimum 3 mm thick) ,Colors: Powder- Coating,Minimum Gross Weight: - 75Kg 200Gm	Set			
3	<u>Two seated Sea saw</u> AREA: 6' X 8', SAFE AREA:8' X 10' , HEIGHT: 24" AGE GROUP:2-10 Years, SEAT: 04 No FRP Seat Pipe: Main Pipe: 6' length of 50mm ID, G.I. Pipe, Seating Pipe:8' length of 50mm ID, G.I. Pipe (Minimum 3 mm thick), Colors: Powder -Coating, Minimum Gross Weight: - - 66Kg 500Gm	Set			



4	Spiral Slide AREA: 10' X 16', SAFE AREA: 15' X 20', HEIGHT: 7 AGE GROUP: 3-14 Years, SLIDE: FRP Pipe: DECK Pipe: 50mm ID B-Class G.I. Pipe GRILL: 20mm ID B-Class GI Pipe LADDER: 25mm ID B-Class GI Pipe Step: 16-gauge MS Sheet, Handle: 20mm ID B-Class GI Pipe (Minimum 3 mm thick), Colors: Powder Coating, Minimum Gross Weight: -- 217 Kg	Set			
5	Rainbow Climber Area : 2 X 10 Safe Area : 7' X ' HEIGHT- 6' AGE groups -3- 14 Years, Main Pipe - 40mm ID B - Class GI pipe, LADDER : 25mm ID B-class GI pipes (Minimum 3 mm thick) , Colors: Powder Coating, Minimum Gross Weight: - - 56 Kg	Set			
6	ABB crunch or Sit-Up Bench (Unit Dimension: 24" (H), 74" (L), 20" (W) Safe Area: 8' X 4' Pipe Size: 40 mm & 25 mm ID B-class GI pipe Seats: FRP Colors: Powder Coating, Nut & Bolts: S.S Minimum Gross Weight-41 kg	Set			
7	Knee/ Hip raise on parallel bars (Unit Dimension: 92" (H), 46" (L), 29" (W) Safe Area: 5' X 4', Pipe Size: 75 mm 50 mm, 32 mm & 25 mm ID B-class GI pipe, Colors: Powder Coating, Nut & Bolts: S.S. Minimum Gross Weight-86 kg	Set			
8	Bench with fixed dumbbell (Unit Dimension: 30" (H), 112" (L), 24" (W) Safe Area: 14' X 4' Pipe Size: 50 mm & 32 mm ID B-class GI pipe Bearings: NBC/SKF/FAG Colors: Powder Coating, Nut & Bolts: S.S. Minimum Gross Weight-92 kg	Set			
9	Bench with fixed weight lift (Unit Dimension: 56" (H), 48" (L), 24" (W) Safe Area: 8' X 8' Pipe Size: 50 mm, 40 mm & 20 mm ID B-class GI pipe Seats: 25 mm X 50 mm, GI pipe Colors: Powder Coating, Nut & Bolts: S.S. Minimum Gross Weight-80 kg	Set			



10	<p><u>Shoulder Exerciser</u> of approved design and make of minimum product area 1.2 m X 0.9 m (Safe Play area minimum 2.2 m X 2.19m), Colors: Powder Coating, Minimum Gross Weight- - 93 Kg 300Gm</p>	Set			
11	<p><u>Twister</u> (Unit Dimension: 48" (H), 5' (W) Safe Area: 8' X 8' Pipe Size: 100 mm ID B-class GI main pipe Handel: 25 mm ID B-class GI pipe Step: 03 no Plastic. Bearings: NBC/SKF/FAG, Colors: Powder Coating, Nut & Bolts: S.S., Minimum Gross Weight-68 kg</p>	Set			
12	<p><u>Glider or Set Back/Leg Press</u> (Unit Dimension: 72" (H), 68" (L), 24" (W) Safe Area: 12' x 10' Pipe Size: 100 mm ID B-class GI main pipe Supporting Pipe: 40 mm ID B-class GI main pipe Seats: Plastic Single Step (Plastic)-4Nos, Bearings: - 4 Nos. NBC/SKF/FAG ,Colors: Powder Coating, Nut & Bolts: S.S. (3/8 x 1 1/2" LN-4,5/16Screw) ,Minimum Gross Weight-71 kg</p>	Set			
13	<p><u>Air Swing</u> (Unit Dimension: 60" (H), 36" (L), 36" (W) Safe Area: 8' X 8' Pipe Size: 100 mm ID B-class GI main pipe Handel: 25 mm & 20 mm ID B-class GI pipe Seats: Double Step (Plastic)-2Nos Bearings: - 4 Nos. NBC/SKF/FAG, Colors: Powder Coating, Nut & Bolts: S.S. (3/8 x 1 1/2" LN-2,5/16Screw) Minimum Gross Weight-82 kg</p>	Set			
14	<p><u>Poles with fixed weight</u> (Unit Dimension: 81" (H), 50" (L), 48" (W) Safe Area: 6' X 4' Pipe Size: : 75 mm, 50 mm & 20 mm ID B-class GI pipe), Colors: Powder Coating, Nut & Bolts: S.S Minimum Gross Weight-90 kg</p>	Set			
15	<p><u>Walker:</u> Providing and fixing in position WALKER of approved design and make of minimum product area 2.0 m X 0.7 m (Safe Play area minimum 3.0 m X 1.7 M), Colors: Powder Coating, Minimum Gross Weight- 85 Kg 700Gm</p>	Set			