

GOVERNMENT OF ODISHA



H & UD DEPARTMENT ANGUL MUNICIPALITY ANGUL

SUPPLYING, FITTING AND FIXING OF ILLUMINATION WITH DECURATIVE LIGHT POLE TO ANGUL MUNICIPALITY

PERIOD OF SALE OF BID DOCUMENTS :- From dt.04.12.2025 to dt.15.12.2025

LAST DATE OF RECEIVED BID DOCUMENTS:- Dt.16.12.2025 upto 1.30 PM

DATE & TIME OF OPENING THE BID DOCUMENTS :- Dt.16.12.2025, 4.00 PM


COST OF TENDER PAPER :- ₹ 4,000.00

COST OF EMD :- ₹ 20,000.00

Name of the Bidder

MR No

/Dt


EXECUTIVE OFFICER
ANGUL MUNICIPALITY
ANGUL, ODISHA.

CHECK LIST TO BE FILLED UP BY THE BIDDER

Sl.No	Particulars	Reference as per DTCN	Whether furnished	Reference to Page No.
1	Cost of Bid in original			
2	Cost of EMD in original			
3	Valid Registration Certificate/ MSME			
4	Upto date GSTIN			
5	No Relationship Certificate			
6	Litigation, debarring expelling of the tender or abandonment of the work by the tenderer			
7	Affidavit			
8	Filled up and signed with seal copy of schedule quotation/ EoI			
9	Other, If any			

Amulya
31/12/25

TERMS AND CONDITIONS

- 1 The details of bid documents specification, schedule and set of terms & conditions is available in the municipality office, Angul in person on payment of **₹4,000.00** (Rupees:- Four thousand) Only towards cost of Eol documents in shape of Cash/ DD/ Banker cheque drawn on any Nationalized Bank in favour of Executive Officer, Angul municipality payable at Angul The Eol will be available in the Angul district portal i.e. www.angul.nic.in. Eol without payment of paper cost shall not be accepted in any case and will be rejected summarily. The cost of quotation/ Eol paper is not refundable.
- 2 The bidder must be accompanied by EMD/ bid security in original amount of **₹20,000.00** (Rupees:- Twenty thousand) Only in shape of Cash/ DD/ Banker cheque/ National savings certificate/ Post office savings Bank account/ Post office Time Deposit/ Kissan Vikas Patra / Deposit Receipt of Schedule Bank drawn on any Nationalized Bank in favour of Executive Officer, Angul municipality payable at Angul.
Expression of Interest without EMD in original shall not be accepted.
EMD & ISD Exempted for local MSME of Odisha is certified by DIC.
- 3 The sale of Expression of Interest (Eol) documents start from **dt. 04.12.2025 to dt.15.12.2025**.
Request for Expression of Interest (Eol) documents through post will not be entertained.
- 4 **Offline** bid documents consisting of technical bid & price bid shall be provided within a single envelope (Cover-C) technical bid (Cover-A) and price bid (Cover-B) separately superscripted with name of work, Expression of interest call notice no & date. Technical bid (cover-A), Price bid cover (B) and (cover C)
Submission of bids will be through the offline mode to the given address of authority.
- 5 The completed & sealed Expression of Interest (Eol) should be sent on or before **dt. 16.12.2025 upto 1.30 PM** to the Executive Officer, Angul municipality through registered/ Speed post or in person only. The envelope containing the quotation/Eol documents should be superscripted with "Supplying, fitting and fixing of Illumination with decorative light pole to Angul Municipality." with Eol call notice no & date.
- 6 The Expression of Interest (Eol)/ bid documents will be opened in the presence of tender committee of Angul municipality on **dt. 16.12.2025 upto 4.00 PM** in the chamber of Executive Officer, Angul municipality, Angul in the presence of the bidders or their authorized representatives who wish to attend.
If office happens to be closed for any reason on the date the receiving or opening of the tender as specified the tenders will be received/ opened in the next working day at the same time & venue.
- 7 No bids will be received after scheduled date and time. The officer inviting the bid shall not be responsible for any postal delay and/ or non-receipt due to any frivolous reasons.
- 8 Bidder should submit (i) Technical bid is to contain of cost of bid document and EMD in original, self attested copies of valid registration/ MSME certificate, up-to-date GSTIN, No Relationship Certificate, litigation certificate, filled up and signed with seal of schedule appended to the Eol call notice and documents required as per DTCN.
(ii) Financial/ Price bid/ BoQ is to contain the price bid duly filled and signed by the bidder.
- 9 The Quotationer should quote single rate for each item according to required specification wherever mentioned. More than one rate for a particular item will be summarily rejected.
- 10 The bidder shall quote their rate including cost of supplying, fitting, fixing, erection, all materials, labour, T&P, transporting, loading & unloading etc as per description in BoQ/ specification.
- 11 The rate shall be quoted inclusive of all taxes and duties if any. GST will be mentioned separately.
- 12 Any correction or over writing in the offer should be attested by the quotationer.

- 13 The rate should be mentioned in both figures and words.
- 14 The rate will be valid for thirty six calendar months.
- 15 The bidder shall submit the quotation/ expression of interest schedule duly signed by him with seal.
- 16 The materials/ parts will be inspected by the Executive Officer/ Engineering person of Angul municipality/ or any competent authority authorised by municipality.
- 17 Any material/ parts found defective are to be replaced immediately free of cost.
- 18 The quotationer/ bidder shall not sublet, transfer or assign any part of the full work of this award without prior written permission from the Executive Office, Angul municipality.
- 19 All bids received will remain valid for a period of 90 days. The deadline date for submission of bids and validity of bids can also be extended, if agreed to by the bidder and the Department.
- 20 The EMD shall be forfeited on the following grounds :
 - i If the bidder withdraws the bid after bid opening during the period of bid validity.
 - ii If the Bidder does not accept the correction of the bid price.
 - iii In the case of a successful bidder fails to sign the agreement/ contract or furnish the required ISD and performance security within the specified time limit .
 - iv In case the statements, documents and certificates submitted during submission of bid by the bidder is found false/ fabricated/ bogus,
 - v If the successful bidder fails to execution of work within the period mentioned in the work order.
 - vi If the bidder does not repair/ replace any defects in the product/ work within fifteen days of being informed about the
- 21 Quotation/ Expression of Interest (EoI) shall not be considered through Power of Attorney
- 22 Award of contract will be issued by post/ hand/ email.
- 23 Any dispute arises between bidder & office, the decision of the Council will be final and binding to both parties.
- 24 The authority reserves the right to reject any or all the tenders without assigning any reason thereof.


Executive Officer
Angul municipality

3/12/25

NO RELATIONSHIP CERTIFICATE

I/ We hereby certify that I/ we am/are related/ not related to any officer of the Angul Municipality in the rank of Asst. Engineer or above I/ we am/are aware that if facts to be proved false my/ our contract will be rescinded with forfeiture of EMD and ISD and I/ We shall be liable to make good loss or damage resulting from such cancellation.

Full Name of the Tenderer

1. Address for correspondence-

Phone No: _ _ _ _ _

Alternative phone No _ _ _ _ _

2. Permanent Native address-

Village.....

Post

Dist

PIN _ _ _ _ _

Signature of Bidder

INFORMATION REGARDING CURRENT LITIGATION, DEBARRING EXPELLING OF TENDERED OR ABANDONMENT OF WORK BY THE TENDERER

- 1 Is the tenderer currently involving in any litigation relating to the works. If yes, give details: Yes / No
- 2 Has the tenderer or any of its constituent partners been debarred/ expelled by any agency in India during the last 5 years. Yes / No
- 3 Has the tenderer or any of its constituent partner's failed to perform on any contract work in Angul Municipality If yes, give details: Yes / No

Note: If any information in this Appendix is found to be incorrect or concealed, qualification application will be summarily be rejected.

Signature of Bidder

AFFIDAVIT

APPENDIX – D

1. I Sri aged about . . years, Son/ Daughter/ Wife of Sri at present residing at PO. Dist. PIN . . do hereby solemnly affirm as follows.
2. That I/ We posses valid license issued by (Authorities name) belongs to . . . Class . . . category contractor valid upto for execution of work contract.
3. I am submitting tender before Executive Officer, Angul municipality, Angul for execution of work in response to quotation/ EoI Call Notice No dated, ID No. . . _ . . . _
4. That I am the authorized signatory on behalf of contractor/ Agency for the tender for the work mentioned above.
5. I am swearing this affidavit that all tender documents and accompanying papers those being submitted by me before Executive office, Angul municipality including cost of bid document and EMD remit offline made on DD/ Banker chequee/ cash are all authentic and bona fide documents in the eyes of law of land.

**Signature of the Bidder/
Authorised signature**

LETTER FOR SUBMISSION OF PROPOSAL

[To be filled in by the Bidder]

Note: (1) Additional conditions appended to the EoI will make the tender liable for rejection.

(2) Non-submission of EMD in proper shape and other required documents as detailed hereinafter shall make the tender liable for rejection.

To

**The Executive Officer,
Angul Municipality.**

Sub: Tender for the Work **Supplying, fitting and fixing of Illumination with decorative light pole to Angul Municipality**

Dear Sir,

With reference to the above, we are to inform you that in response to your above referred NIT, we have downloaded the Detailed Tender Call Notice (DTCN) and that after having thoroughly examined the same, we hereby tender for the work to execute the work within the stipulated time and in conformity with the relevant clauses of the DTCN along with all related statutory rules and regulations for the amounts as quoted in the accompanying price bid.

- 2) I/We have studied, acquainted and satisfied ourselves with the site/ area and its working conditions for the successful and timely completion of the work.
- 3) I/We are submitting herewith Bar Chart to complete the work in time.
- 4) Our offer is unconditional and is in conformity with the requirements of the DTCN. We understand that any additional condition put by us in the tender/ EoI shall make our tender liable for rejection.
- 5) I/We understood that you are not bound to assign any reason in case of rejection of our tender.
- 6) I/We agree to keep our offer open for a minimum of 90 (ninty) days from the date of opening of the Price bid. Further extension of validity will be our prerogative.

Should this tender be accepted, we hereby agree to abide by and fulfill all the terms and provisions of this Detailed Tender Call Notice (DTCN).

Thanking

Yours faithfully,

Signature of the Bidder

DECLARATION BY THE TENDERER

1. I have visited the site/ area and have fully been acquainted myself with the local situation regarding materials, labour and the factors pertaining to the work before submitting the tender.
2. I have carefully studied the conditions of the contract, specification and other documents of this work and I agree to execute the same accordingly.
3. I solemnly pledge that I shall be sincere in discharging my duties as responsible bidder and complete the work within the prescribed time limit. I shall submit detailed construction/ erection programme with target dates for various items and stages of work keeping in view the time limit and shall accordingly arrange for necessary labours, materials, and equipments etc., punctually. In case there are deviations from the construction programme, I shall abide by the decision of the Engineer-in-charge for revision of the programme and shall arrange for labour, materials, equipments etc.
4. I shall follow all rules and regulations of the state in force with regard to engagement of labour for the work.
5. The documents furnished with the tender are correct to the best of my knowledge and belief and if any information found to be incorrect in future, the Department has the liberty to take any action as deemed fit.

Signature of the Bidder

ANNEXURE- 1

Technical Notes

Supply, installation and fixing of Cast Iron Decorative Garden Lighting the pole base, light arm, light fitting shall be exactly similar looking as shown in the drawing or pictures.

Finishing:

- i. Epoxy Finishing process as per the ISI standard. All parts must be clean by SHOT blasting or SAND blasting process , Epoxy Primer as a first coat , than second coat will be Epoxy Top Coat after than antique effect with metallic colour & final top coat with PU Clear Lacquer (to prevent ultra violet rays). Overall thickness will be ranging between 65 to 75 micron.
- ii. Metallic Finishing process as per the ISI standard. All parts must be clean by SHOT blasting or SAND blasting process, Metallic Primer as a first coat , than second coat will be Metallic Top Coat than antique effect with metallic colour & final top coat with PU Clear Lacquer (to prevent ultra-violets ray). Overall thickness will be ranging between 65 to 75 micron.


Available Color Finishing – Antique Gold, Antique Green & Antique Copper.

Material Specification:


All this above parts made in cast iron castings must be of FG-15 grade as per IS 210(1993) standard, Hardness must be in range between 150 BHN to 165 BHN . Cast Iron must have Chemical composition of Carbon-3.9% to 4.2% & Silicon-1.9% to 2.4%. for giving proper Welding (Mig + CO₂).

DBP-002

GARDEN LIGHT POLE



VHP-A-101



VHP-B-104



3000


VHP-B-104-30




4000

VHP-B-104-40

DFP-01





DFP-02




LIGHT ARM

VHBR - 001




VHBR-D-001




VHBR-S-001

VHBR - 002



VHBR-D-001





VHBR-S-002

LIGHT


VGL-005

VGL-006



VGL-005-D

VGL-007



VHC-01



VHC-02



Bill of quantities:- Supplying, fitting and fixing of Illumination with decorative light pole to Angul Municipality

Sl/No	Description	Qty.	Unit	Rate	Amount
1	2	3	4	5	6
1	Supply and fixing of Decorative CI Garden light post with high esthetic look as per Annexure -1 •Model-DBP-002 with LxW-8000mmx2795mm	As per requirement	each		
2	Supply and fixing of Decorative CI Garden light pole with high esthetic look as per Annexure -1 •Model-VHP-A-101-30 with height 3000mm	As per requirement	each		
3	Supply and fixing of Decorative CI Garden light pole with high esthetic look as per Annexure -1 •Model-VHP-A-101-40 with height 4000mm	As per requirement	each		
4	Supply and fixing of Decorative CI casting with GI Garden light pole with high esthetic look as per Annexure -1 •Model-VHP-B-104-30 with height 3000mm	As per requirement	each		
5	Supply and fixing of Decorative CI casting with GI Garden light pole with high esthetic look as per Annexure -1 •Model-VHP-B-104-40 with height 4000mm	As per requirement	each		
6	Supply and fixing of Decorative CI casting with GI Garden light pole with high esthetic look as per Annexure -1 •Model-DFP-01 with height 6000mm	As per requirement	each		
7	Supply and fixing of Decorative CI casting with GI Garden light pole with high esthetic look as per Annexure -1 •Model-DFP-02 with height 6000mm	As per requirement	each		
8	Supply and fixing of Decorative Light Arm make with CI and GI materials as per Annexure -1. •Model-VHBR-D-001 with WxL-1200mmx850mm	As per requirement	each		
9	Supply and fixing of Decorative Light Arm make with CI and GI materials as per Annexure -1. •Model-VHBR-S-001 with WxL -620mmx850mm	As per requirement	each		
10	Supply and fixing of Decorative Light Arm make with CI and GI materials as per Annexure -1 •Model-VHBR-D-002 with WxL -1000mmx550mm	As per requirement	each		
11	Supply and fixing of Decorative Light Arm make with CI and GI materials as per Annexure -1 •Model-VHBR-S-002 with WxL -520mmx550mm	As per requirement	each		
12	Supply and fixing of Decorative Light with aluminum die casting body as per Annexure -1. •Model- VGL-005-D with WxL -480mmx480mm (50 W)	As per requirement	each		
13	Supply and fixing of Decorative Light with aluminum die casting body as per Annexure -1. •Model- VGL-006-with WxL -435mmx445mm (50 W)	As per requirement	each		
14	Supply and fixing of Decorative Light with aluminum die casting body as per Annexure -1. •Model- VGL-007- with WxL -600mmx550mm (100 W)	As per requirement	each		
15	Supply and fixing of Decorative Light with Cast iron die casting body as per Annexure -1. •Model- VHC-01- with WxL -325mmx625mm (25W)	As per requirement	each		
16	Supply and fixing of Decorative Light with Cast iron die casting body as per Annexure -1. •Model- VHC-01- with WxL -325mmx625mm	As per requirement	each		

Sl.No	Description	Qty.	Unit	Rate	Amount
1	2	3	4	5	6
17	Supply and fixing of Decorative Light with Cast iron die casting body as per Annexure -1. •Model- VHC-02- with WxL -228mmx380mm (30 W)	As per requirement	each		
18	Outdoor Spot light with IP65 specification with aluminum die casting body (5W)	As per requirement	each		
19	Outdoor Spot light with IP65 specification with aluminum die casting body (7W)	As per requirement	each		
20	Outdoor Spot light with IP65 specification with aluminum die casting body (15W)	As per requirement	each		
21	Outdoor Spot light with IP65 specification with aluminum die casting body (36W)	As per requirement	each		
22	Outdoor Spot light with IP65 specification with aluminum die casting body (40W)	As per requirement	each		
23	Supply and lying 1.5 -2core copper round flexible cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
24	Supply and lying 2.5 -2core copper round flexible cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
25	Supply and lying 6 sqmm -2core aluminum armoured cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
26	Supply and lying 10 sqmm -2core aluminum armoured cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
27	Supply and lying 16 sqmm -2core aluminum armoured cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
28	Supply and lying 1.5 -3core copper round flexible cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
29	Supply and lying 2.5 -3core copper round flexible cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
30	Supply and lying 6 sqmm -3core aluminum armoured cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
31	Supply and lying 10 sqmm -3core aluminum armoured cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
32	Supply and lying 10 sqmm -3core aluminum armoured cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
33	Supply and lying 1.5 -4core copper round flexible cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
34	Supply and lying 2.5 -4core copper round flexible cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
35	Supply and lying 6 sqmm -4core aluminum armoured cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
36	Supply and lying 10 sqmm -4core aluminum armoured cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		
37	Supply and lying 10 sqmm -4core aluminum armoured cable with digging of trench, lying of HDPE pipe etc with complete all.	As per requirement	mtr		

Sl/No	Description	Qty.	Unit	Rate	Amount
1	2	3	4	5	6
38	Supply of HDPE Pipe -25mm.	As per requirement	mtr		
39	Supply of HDPE Pipe -40mm.	As per requirement	mtr		
40	Outdoor electrical 32Amp 3 phase control panel box with necessary control timer relay, MCB, connector etc as per required.	As per requirement	each		
41	Outdoor electrical 64Amp 3 phase control panel box with necessary control timer relay, MCB, connector etc as per required.	As per requirement	each		
42	Outdoor electrical 32Amp 3 phase control panel box as per required.	As per requirement	each		
43	Outdoor electrical 64Amp 3 phase control panel box as per required.	As per requirement	each		
44	Supply of 6 no G.I Coil for Earthing.	As per requirement	kg		
45	Supply of 5 Ft. Electrode Chemical earthing with 40mm GI outer pipe with Hot dip galvanized for corrosion protection GI inner strip with G.I connecting terminal and the pipe is filled with CCM compound with 1 bags of Back fill compound.	As per requirement	Set		
46	Labour and materials charges for excavation of foundation casting erection and installation embodying cement concrete (1:1.5:3) with transportation loading, unloading cost of conveyance etc. Decorative Light Pole.	As per requirement	cum		
47	Dismantling and removing cement concrete including stacking the useful materials for reuse and removing the debris within 50 metres lead.	As per requirement	cum		
48	Earth work excavation in foundation in all kind of soil within 50m. initial lead and 1.5m. initial lift including rough dressing and bracking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m. in depth and as per the direction of the EIC	As per requirement	cum		
49	Providing spreading, filling in foundation and plinth with sand watered and rammed as per OPWD specification including cost of materials, labour, conveyance, royalty, Tools and Plants etc.all complete required for the work to finished items of work	As per requirement	cum		
50	PCC (1:3:6) with 40 mm size CBHG metal including all cost of materials, labour, conveyance, royalty, T&P, water for curing etc all complete	As per requirement	cum		
51	PCC (1:2:4) with 12 mm size CBHGC including hosting and laying all cost of materials, labour, conveyance, royalty, Tools and Plants water for curing etc.all complete.	As per requirement	cum		
52	Fly ash bricks 25 cm x 12 cm x 8 cm size having C/S > 75 kg/cm ² in CM (1:6) in foundation and plinth including cost of materials, labour, royalty, conveyance, Tools and Plants, water for curing etc. all complete as per OPWD specification required for the work to finished items of work	As per requirement	cum		
53	Requirement of HYSD/ MS rod and labour for cutting, bending, binding, straighting and laying the grills and placing in position including cost of rod & binding weir 18 to 20 gauge.	As per requirement	cum		

SI No	Description	Qty.	Unit	Rate	Amount
1	2	3	4	5	6
54	RCC foundation, plinth band and footings bases of columns mass concrete pre-cast slabs etc.	As per requiemnt	sqm		
55	12 mm thick cement plaster (1:6) for brick work	As per requiemnt	sqm		
56	Finishing walls with water proofing weather coat cement paint of approved make including cost of caffolding staging charges with cost of all materials taxes, labour T&P etc complete	As per requiemnt	sqm		
57	Total				
58	Add GST 18%				
59	Grand Total				

(Rupees:-) only


 Executive Officer
 Angul Municipality
 3/12/25