



**DISTRICT SURVEY REPORT (DSR)**  
**OF**  
**ANGUL DISTRICT, ODISHA**  
**FOR**  
**MORRUM**

**(FOR PLANNING & EXPLOITING OF MINOR  
MINERAL RESOURCES)**

**ODISHA**



**ANGUL**



As per Notification No. S.O. 3611(E) New Delhi,  
25<sup>th</sup> July, 2018

**MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE  
(MoEF & CC)**

**COLLECTORATE, ANGUL**



## CONTENTS

SL NO	DESCRIPTION	PAGE NO
1	INTRODUCTION	2
2	OVERVIEW OF MINING ACTIVITIES IN THE DISTRICT	6
3	GENERAL PROFILE OF THE DISTRICT	9
4	GEOLOGY OF THE DISTRICT	17
5	DRAINAGE OF IRRIGATION PATTERN OF THE DISTRICT	21
6	LAND UTILIZATION PATTERN IN THE DISTRICT	24
7	SURFACE WATER AND GROUND WATER SCENARIO OF THE DISTRICT	29
8	RAINFALL DATA AND CLIMATIC CONDITION	32
9	DETAILS OF QUARRY LEASES	33
10	DETAILS OF ROYALTY COLLECTED	34
11	DETAIL OF PRODUCTION OF MINOR MINERAL	35
12	MINERAL MAP OF THE DISTRICT.	36
13	LIST OF LETTERS OF INTENT (LOI) HOLDERS IN THE DISTRICT ALONG WITH ITS VALIDITY	37
14	TOTAL MINERAL RESERVE AVAILABLE IN THE DISTRICT.	38
15	QUALITY/GRADE OF MINERAL	39
16	USE OF MINERAL.	40
17	DEMAND AND SUPPLY OF THE MINERAL	41
18	MINING LEASES MARKED ON THE MAP OF THE DISTRICT.	42
19	DETAILS OF AREA HAVING CLUSTER OF MINING LEASES	43
20	DETAILS OF ECO-SENSITIVE AREA	44
21	IMPACT OF MINING ON ENVIRONMENT	45
22	REMEDIAL MEASURES TO MITIGATE THE IMPACT OF MINING ON THE ENVIRONMENT	48
23	RECLAMATION OF MINED OUT AREA	50
24	RISK ASSESSMENT AND DISASTER MANAGEMENT PLAN	51
25	DETAILS OF THE OCCUPATIONAL HEALTH ISSUES IN THE DISTRICT	54
26	PLANTATION AND GREEN BELT DEVELOPMENT IN RESPECT OF LEASES ALREADY GRANTED IN THE DISTRICT	56
27	CONCLUSION	57

### LIST OF ANNEXURES

SL NO	DESCRIPTION	ANNEXURE NO	PAGE NO
1	FINAL LIST OF POTENTIAL MINING LEASES (EXISTING AND PROPOSED)	V	58
2	FINAL LIST OF CLUSTER & CONTIGUOUS CLUSTER DETAILS	VI	59
3	FINAL LIST TRANSPORTATION ROUTES FOR INDIVIDUAL LEASES AND LEASES IN CLUSTER	VII	60

### LIST OF PLATES

SL NO	DESCRIPTION	PLATE NO	PAGE NO
1	MORRUM QUARRY LEASES MARKED ON DISTRICT SATELLITE MAP	1	61
2	TRANSPORTING ROUTE OF STONE QUARRY LEASES MARKED ON DISTRICT SATELLITE MAP	2	62

### LIST OF FIGURES

SL NO	DESCRIPTION	FIG NO	PAGE NO
1	TAHASIL MAP OF ANGUL DISTRICT	1	3
2	ROAD MAP OF ANGUL DISTRICT	2	4
3	DRAINAGE PATTERN OF ANGUL DISTRICT	3	22
4	MINERAL MAP OF ANGUL DISTRICT	4	36
5	MAP SHOWING MORRUM QUARRY LEASES IN ANGUL DISTRICT	5	42

## LIST OF TABLES

TABLE NO	DESCRIPTION	PAGE NO
1	BLOCKS/ TAHASILS OF ANGUL DISTRICT	2
2	ROAD/COMMUNICATION DETAILS	4
3	LIST OF WORKING MINES	8
4	ADMINISTRATIVE SET UP OF ANGUL DISTRICT	9
5	POPULATION STATUS OF ANGUL DISTRICT	10
6	BRIEF MSME PROFILE OF ANGUL, 2021-22	11
7	AGRICULTURAL SCENARIO FOR YEAR 2024-25	12
8	TOTAL FERTILIZERS USED IN THE DISTRICT IN YEAR 2024-25	13
9	ROADS AND RAILWAYS OVERVIEW (IN KM)	13
10	CATEGORY-WISE DISTRIBUTION OF HEALTH INSTITUTIONS AND BED FACILITIES	14
11	LIST OF TOURISTS PLACES	14
12	FOREST AREA STATISTICS – ANGUL DISTRICT	15
13	CATEGORY-WISE NUMBER OF EDUCATIONAL INSTITUTIONS ALONG WITH STUDENTS ENROLLED– ANGUL DISTRICT	16
14	LAND UTILIZATION PATTERN OF ANGUL DISTRICT	24
15	DETAILS OF CULTIVATED AREA TAHASIL WISE	25
16	LAND USE DETAILS OF DISTRICT AGRICULTURAL AREA	26
17	FRUIT PLANTATION DATA FOR ANGUL DISTRICT	27
18	PERENNIAL AND VEGETABLE CULTIVATION DATA OF ANGUL DISTRICT	28
19	LIST OF DEPTH OF WATER LEVEL	29
20	THE CHEMICAL QUALITY OF GROUNDWATER IN DISTRICT	30
21	THE RAINFALL STATISTICS OF THE DISTRICT FOR LAST FIVE YEARS (IN MM)	32
22	DEMAND AND SUPPLY OF MINOR MINERAL MORRUM FOR LAST THREE YEARS (IN CUM.)	41
23	STATUS OF TUBERCULOSIS (TB) DIAGNOSED IN THE LAST FIVE YEARS IN SAMBALPUR DISTRICT	54

## **PREAMBLE**

*Odisha is renowned for its rich mineral resources, with a diverse array of both major and minor minerals found throughout the state. Angul district, located in the central part of Odisha, is widely recognized for its substantial contribution to the state's mineral and industrial landscape. Rich in natural resources, the district possesses a diverse range of minerals that play an essential role in Odisha's economic development. Its geological formations are marked by extensive deposits of coal and other key minerals, making Angul one of the state's major resource hubs. With its strategic location and abundant mineral wealth, Angul continues to be one of the essential core for mining, energy production, and related industrial activities in Odisha.*

*In compliance to the notification issued by the Ministry of Environment and Forest and Climate Change Notification no. S.O.3611 (E) New Delhi dated 25-07-2018; the preparation of district survey report of morrum mining has been prepared in accordance with Clause II of Appendix X of the notification. Every effort has been made to cover morrum mining locations, future potential areas and overview of morrum mining activities in the district with all its relevant features pertaining to geology and mineral wealth. This report will act as a compendium of available mineral resources, geological set up, environmental and ecological set up of the district and is based on data of various departments like Revenue, Water Resources, Forest, Geology and Mining in the district as well as statistical data uploaded by various state Government departments. The main purpose of preparation of District Survey Report is to identify the mineral resources and developing the mining activities along with other relevant data of the district.*

*The District Survey Report (DSR) for morrum in Angul district has been prepared to provide a scientific and systematic assessment of the district's morrum resources. Angul, located in central Odisha, features varied geomorphological conditions and weathered rock formations that contribute to the development of morrum deposits at multiple locations. This report aims to promote sustainable mining practices by identifying potential morrum sources, evaluating their environmental implications, and ensuring adherence to applicable regulatory guidelines. The DSR serves as an important tool for informed decision-making, enabling the responsible extraction, management, and long-term sustainability of morrum resources within the district.*

## 1. INTRODUCTION:

The district of Angul situated at the heart of Odisha was a part of Undivided Dhenkanal district till early March 1993, but for the administrative convenience, Dhenkanal District was divided into two parts i.e. Dhenkanal and Angul vide State Government Notification No. DRC-44/93/14218/R. dated 27 March 1993. Angul District came into existence as a separate district on April 1, 1993. The district is surrounded by Cuttack & Dhenkanal on the east, Sambalpur & Deogarh on the west, Sundargarh & Keonjhar on the north and Phulbani on the south. Covering an area of 6232 sq.km, Angul District is located at Latitude 20° 31' to 21° 41' North to 84° 16' to 85° 23' East Longitude. The altitude of this place is 564 to 1187 mt. The district is abundant with natural resources. Angul, the district headquarters is about 150 kilometers (93 mi) from the state capital Bhubaneswar.


The name "Angul" is believed to be derived from the Odia word "Anugul", which has a few possible interpretations.

"Anu" means "inside" and "gul" means "cavity" or "hollow". Some believe it's derived from "Antargarh", meaning "inner fort". The exact origin of the name "Angul" is unclear, but it's thought to be linked to the region's geographical features or historical significance.

To ensure better administrative control, Angul district has been divided into four sub divisions: Angul, Athmallik, Pallahara, Talcher, encompassing a total of 8 Tahasil/blocks. This initiative reflects a commitment to decentralization and empowers local leaders to address the unique challenges faced by their areas.

*Table-1*  
*Blocks/Tahasis of Angul District*

NAME OF DISTRICT	NAME OF THE SUB-DIVISION	NAME OF THE BLOCK	NAME OF THE TAHASIL	NO. OF R.I. CIRCLE	NO. OF VILLAGE
Angul	Angul	Angul	Angul	9	230
		Banarpal	Banarpal	5	156
		Chhendipada	Chhendipada	7	184
	Athamallik	Athamallik	Athamallik	10	351
		Kishorenagar	Kishorenagar	8	251
	Talcher	Talcher	Talcher	4	205
		Kaniha	Kaniha	5	234
	Pallahara	Pallahara	Pallahara	7	319
	<b>TOTAL</b>	<b>4</b>	<b>8</b>	<b>8</b>	<b>55</b>




*Fig 1: Tahasil Map of Angul District*

Angul district has a well-developed transport and communication network that supports both local and regional connectivity. Road transport is the primary mode, with highways and regular bus services linking Angul to nearby towns and major cities across Odisha. The district is also served by an important railway network, providing direct connections to key industrial and urban centres. In addition, modern communication systems—including mobile networks, internet services, and postal facilities—ensure efficient communication across the district.

**Table-2:**  
**Road/Communication Details**

Communication	Units
Railway route length	102.165 Km
No of Rly stations and PH	13
Forest road	449.53 Km
National Highway	264.04 Km
State Highway	177.38 Km
Major district roads	30.90 Km
Other dist roads	1117.44 Km
Village roads	2425.23 Km
Inter village roads	2032.16 Km
Intra village roads	2359.83 Km



**Fig 2: Road Map of Angul District**

Angul district in Odisha, India, has a tropical climate with three main seasons: summer, monsoon, and winter. During Summer Season it is Hot and humid, monsoons receive significant rainfall and winters are relatively cool and dry.

The climate of Angul district is suitable for agriculture, with the region being predominantly agrarian. However, the district is also prone to extreme weather events like heatwaves and cyclones.

Angul district's economy is driven by a mix of industries, agriculture, and natural resources. Angul is home to several major industries, including – National Aluminium Company Limited (NALCO): One of India's largest aluminum producers. Mahanadi Coalfields Limited (MCL): A major coal producer in India. National Thermal Power Corporation (NTPC): A leading power generation company. Jindal Steel and Power Limited (JSPL) (JITPL): A prominent steel and power producer. Agriculture: Agriculture is a significant contributor to the district's economy, with crops like paddy, wheat, and pulses being major produce. Coal mining: Angul district has significant coal reserves, with the Talcher and Brahmani Valley coalfields being among the largest in India. Power generation: The district has several power plants, including thermal and hydroelectric power plants. Small-scale industries: The district also has a thriving network of small-scale and ancillary industries, providing employment and growth opportunities. Handicrafts and cottage industries: The district is known for its handicrafts, including Pattachitra paintings, stone carvings, and Dhokra metal crafts.

## **2. OVERVIEW OF MINING ACTIVITIES IN THE DISTRICT:**

Angul district is one of India's major coal-mining regions, dominated by the Talcher Coalfield, which produces nearly 100 MMT of coal annually through mostly open-cast mines operated by Mahanadi Coalfields Ltd. Besides coal, the district has minor deposits of chromite, graphite, manganese, mica, quartz and laterite, though these play a smaller role. The availability of coal has driven significant industrial growth, including steel, aluminium, and thermal power plants. Mining has also created environmental pressures involving forest diversion, land degradation, and water contamination, leading to the establishment of District Mineral Foundation (DMF) mechanisms to support affected communities. Angul continues to expand mining operations, with new coal blocks and minor mineral sources being developed, making mining a central economic activity but also a key environmental and social concern for the district.

Apart from this, Angul district is enriched with many valuable economic minerals like kyanite, graphite, fireclay, china clay, precious and semi-precious stones, dimension and decorative stones etc.

### **Coal:**

Angul district occupies a significant position in the mineral map of India because of its vast resources of coal in the Talcher coal field. A total reserve of 50,406 million tonnes of coal of all categories has been estimated in the district in Talcher coalfield. The Karaharbari and Barakar formations belonging to Damuda series are coals bearing. Coal produced in this area is mostly used for power generation purpose.

### **Fireclay:**

Fireclay occurs sporadically within a stretch of 15 sq. km area in and around Badaganduri, Kansamunda and Telisinga villages of Kaniha Block, Angul district. In Talcher Lower Gondwana basin, the fireclay beds usually overly the coal seams. Fireclay also occurs in Handapa area around Kakarpani, Ichhapur villages. The total fireclay resource of the district has been estimated at 1.22 million tonnes. This fireclay contains Lower Gondwana plant fossils like *Glossopteris* and *Gangompteris*.

### **Kyanite:**

Kyanite occurrences are reported around Magarmuhan and Bankoli villages of Pallahara subdivision. In Magarmuhan, Kyanite occurs in association with quartzite-kyanite-schist and quartz-chlorite-kyanite schist extending over a length 1.5 km with an average width of 5 m. A reserve of 6000

tonnes of Kyanite has been inferred upto a depth of 1.5 m with  $Al_2O_3$  content varying from 19.02% to 53.81% and silica content varying from 32.84% to 54.07%.

### **Graphite:**

Incidence of graphite are recorded in the khondalite suite of rocks within a 25 km long and 10 km wide belt extending in NW-SE direction between Dondatopa and Patharkupa of Athmallik sub-division. The graphite occurs as flakes and disseminations. The important locations are Kamalpur, Dandatopa, Bhuasuninali, Adeswar, Girida, Akharkata, Sanrohila, Lanchi, Govindapur, Polamahal, Siariamalia, Cherkhandi, Karadagadia, Dhauragoth, Brahmanidei and Padmapokhari. Graphite occurrence near Dandatopa is high grade and pocket type where the F.C. content varies between 54% to 77%. In the remaining areas, graphite occurs as disseminations and flakes in khondalites with F.C. content ranging from 5% to 15%. Besides the above, occurrences of graphite are reported around Badakantakul, Kanja and Talisara in Angul sub-division.

### **China clay:**

China clay occurs in Panduripathar area of Athmallik sub-division. It extends over a strike length of 250 m with an average width of 150 m.

### **Precious and Semi-Precious Stones:**

Garnet (pink, violet, red and honey yellow varieties), red corundum, moonstone, blue Kyanite etc. have been reported in Nuagaon, Parhang, Burubura, Kulad, Karanpal area of the district.

### **Manganese Ore:**

Floats of Pyrolusite and psillomelane are strewn over the ground near Teleipathar, Pathartaila and Akharkata village.

### **Decorative and Dimension stone:**

Granite, granite-gneiss, porphyritic granite gneiss and charnockites exposed between Boinda and Athmallik along the roadside are suitable for decorative and dimension stone. 4800 cu. m of decorative and dimension stone has been estimated in Govinda Panasahi and Durgapur Panasahi.

Other than the above-mentioned minerals, minor minerals such as river sand, laterite slabs, building stone/black stone/road metals, morrum, brick earth etc. are also available in the district.

In the district of Angul, there are ten working mines and two non-working coal mines. Besides, one sand and one quartz mines are also operating in this district. Detailed of the working/non-working mines are given below.

**Table-3**  
**List of Working Mines**

Sl. No.	Name of working mines	Mineral	Area (in sq. km)
1	Talcher Colliery	Coal	11.4
2	Nandira Colliery	Coal	3.70
3	Jagannath Colliery	Coal	5.12
4	Bharatpur OCP	Coal	17.67
5	Anata OCP	Coal	5.35
6	Lingaraj	Coal	12.48
7	Balaram OCP	Coal	11.17
8	Hingula OCP	Coal	10.64
9	Kaniha OCP	Coal	0.24
10	Bhubaneswari	Coal	6.88
11	Mandapal Sand mine for stowing	Sand	0.18

**Name of the non-working Mines:**

- |    |                                |          |
|----|--------------------------------|----------|
| 1. | Deulabera Colliery             | Coal     |
| 2. | Handidhua Colliery             | Coal     |
| 3. | Kakudi & Kishoripal Sand Mines | Sand     |
| 4. | Bilinga/Bikser Sand Mines      | Sand     |
| 5. | Kandapal Sand Mines            | Sand     |
| 6. | Telisinga F.C. Mines           | Fireclay |

Further, Angul District is self-sufficient in its minor mineral resources. The district boasts a total of 1 new source of morrum. The abundant availability of these resources supports local infrastructure development and contributes to the district's economic sustainability.

### 3. GENERAL PROFILE OF THE DISTRICT:

#### a. Administrative set up:

Angul district, located in the central part of Odisha, functions under the administrative control of the Angul District Collector and is organized into multiple administrative units to ensure effective governance and service delivery. The district is divided into several tahasils and blocks, along with a network of gram panchayats and municipalities that facilitate local administration. Various line departments operate under the supervision of the district administration to implement development programmes, maintain law and order, and deliver essential public services across both urban and rural areas.

*Table-4*  
*Administrative Set up of Angul District*

SI No	Item	Unit	Magnitude
1	Location		
	Longitude	Degree	84° 16' to 85° 23' East
	Latitude	Degree	20° 31' to 21° 41' North
2	Geographical area	Sq.Km.	6375
3	Sub-division	Numbers	4
4	Tahasils	Numbers	8
5	C D Blocks	Numbers	8
6	Municipalities	Numbers	2
7	NACs	Numbers	1
8	Police Stations	Numbers	23
9	Gram Panchayats	Numbers	225
10	Villages	Numbers	1871
	Inhabited	Numbers	1654
	Uninhabited	Numbers	217
11	Assembly constituencies	Numbers	5

#### b. Area and Population:

The district has an area of 6375 sq. kms and 12.74 lakhs of population as per 2011 census. The district accounts for 4.09 percent of the state's territory and shares 3.03 percent of the state's population. The density population of the district is 200 per sq. km as against 270 person per sq. km. of the state. It has 1871 villages (including 217 un-inhabited villages) covering 8 blocks, 8 Tahasils and 4 Subdivisions. As

per 2011 census the schedule caste population is 239552 (18.8.%) and schedule tribe population is 179603 (14.1.%). The literacy percentage of the district constitutes 77.53 against 72.9 of the state.

**Table-5**  
**Population status of Angul District**

<b>Odisha, Angul District</b>				
<b>No. of households:295,922</b>				
<b>Sl. No.</b>	<b>Indicators</b>	<b>Persons</b>	<b>Males</b>	<b>Females</b>
1	Population	12,73,821	6,55,718	6,18,103
2	Child Population	1,52,403	80,666	71,737
3	Scheduled Castes	2,39,552	1,21,459	1,18,093
4	Scheduled Tribes	1,79,603	89,980	89,623
5	Literate	8,69,456	4,94,425	3,75,031
6	Illiterate	4,04,365	1,61,293	2,43,072
7	Workers	2,47,707	1,72,018	75,689
8	Non-Workers	3,31,798	1,24,672	2,07,126

**c. Climate:**

The climate condition of the district is generally hot and high humidity during April to May and cold during November to December the monsoon generally breaks during the month of July, Average annual rainfall of the district was 1147.52 mm during last four years, which is less than the normal rainfall 1312 mm.

**d. Economy:**

Agriculture occupies a vital place in the economy of Angul District, as it provides direct and indirect employment to around 70 % of its total work force, as per the 2001 census. The total cultivable area of this District is 2, 16,403 hectares, covering 32.7 % of its total geographical area. The major crops of the Kharif season are paddy, maize, ragi, oilseeds, pulses, small millets and vegetables etc. Paddy, wheat, maize, field pea, sunflower, garlic, ginger, potato, onion, tobacco, sugarcane and coriander etc. are the major Rabi crops.

The last decade has witnessed a tremendous improvement in the industrial scenario of Angul District. Many public sector undertakings have setup up plants and offices here, like National Aluminium Company Limited (NALCO), Mahanadi Coal Fields Limited (MCL), National Thermal Power Corporation (NTPC) and Talcher Thermal Power Station (TTPS). One of the major coalfields is the

Talcher Coal Field, which contains huge reserves of power grade non-coking coal. Engineering Units, Rice Mills, Hotels, Fly Ash Brick units, Stone Crushers, Service Units, Bleaching units, Bread and Bakery units, Tyre Retreading units, Flour Mills and Spices Grinding units etc. are some of the small-scale industries functioning here.

Dhokra casting works, Terracotta works, Wood carvings, Art textiles and Soft toys etc. are some examples of the crafts that have been generating revenues for this District. The District Industries Center functioning in the district promotes its various industrial activities.

**e. Industry:**

Angul district is a significant industrial hub in Odisha. It is known for its large-scale industries, including coal, bauxite, and steel and is home to the National Aluminium Company Limited (NALCO), Mahanadi Coal Fields Limited (MCL), National Thermal Power Corporation (NTPC) and Talcher Thermal Power Station (TTPS).

The Micro, small and Medium Enterprises (MSMEs) play a crucial role in the local economy. The district is home to significant industries, including the National Aluminium Company, which is a major contributor to the company. The District Industry Centre (DIC) in Angul provides essential support services for entrepreneurs, helping them set up MSMEs and access various government schemes and subsidies. During the year 2021-22, 1485 nos of Micro Small and Medium Enterprises have been established with total capital investment of about Rs 7846.69 lakhs with 3055 nos of Employment generated in Angul district.

Apart from this, a good number of Thermal power plants and sponge plants have been established within the district including NTPC and various private companies due to abundant availability of thermal grade coal. Besides various kinds of handicraft works like dhokra casting, bell metals, textile products have been developed by the skilled workers and artisans of the district.

**Table-6**  
**Brief MSME Profile of Angul, 2021-22**

<b>No. of MSME units set up</b>	<b>Investment (Rs. In lakhs)</b>	<b>Employment Generated</b>
1485	7846.69	3055

**f. Agriculture:**

Agriculture continues to be an important livelihood source for a significant portion of the population in Angul district. The district possesses a mix of alluvial, lateritic, and red soils, supported by moderate rainfall and expanding irrigation coverage from major and minor irrigation projects, making it suitable for a variety of agricultural activities. Paddy remains the principal crop cultivated predominantly during the kharif season, followed by pulses, oilseeds, vegetables, and maize. In recent years, farmers have also diversified into horticulture and cash crops owing to improved market access and support services. During the year 2024-25 the net area sown was 141884 hectares against 200575 hectares of the state. The production of was as below:

*Table-7  
Agricultural Scenario for year 2024-25*

<b>Name</b>	<b>Production in MT</b>
<b>Paddy</b>	326679
<b>Wheat</b>	0
<b>Maize</b>	6322
<b>Mung</b>	3635
<b>Biri</b>	3701
<b>Kulthi</b>	5985
<b>Til</b>	1606
<b>Groundnut</b>	7648
<b>Mustard</b>	2695
<b>Potatoes</b>	NA
<b>Jute</b>	NA
<b>Sugarcane</b>	5202

**g. Fertilizer consumption:**

The major fertilizers used include urea, DAP (Di-Ammonium Phosphate), MOP (Muriate of Potash), and complex fertilizers, applied mainly for paddy, pulses, oilseeds, and vegetable cultivation. The average fertilizer consumption in the district is moderate, reflecting balanced use of nutrients based on soil fertility and crop requirements. The total fertilizers used in the district during 2024-25 was about 34.29 Kg per Ha.

**Table-8**  
**The total fertilizers used in the district in year 2024-25**

Type of fertiliser	Nitrogenous	Phosphatic	Pottasic	Total	Consumption (Kg per Ha)
Quantity in MT	3687.05	1965.29	294.9	5947.24	34.29

**h. Power:**

Consumption of electricity in Angul district during the year 2021-22 is reported, and villages so far electrified as on 31.03.2020 is 1654 revenue villages which constitutes 100% of the total inhabited revenue villages of the district.

**i. Transport & Communication:**

Angul district has a well-connected transportation and communication network that supports the movement of people, goods, and mineral resources. The district is linked by major national and state highways, along with an efficient rail system centred around Angul and Talcher, which facilitates both passenger travel and mineral transport. While Angul has no commercial airport, it is adequately served through the airport at Bhubaneswar. The district also has reliable mobile, internet, and postal communication services. Overall, this infrastructure plays a key role in supporting industrial development and ensuring smooth, regulated mineral transportation within the district.

**Table-9**  
**Roads and Railways Overview (in km)**

Communication	Units
Railway route length	102.165 Km
No of Rly stations and PH	13
Forest road	449.53 Km
National Highway	264.04 Km
State Highway	177.38 Km
Major district roads	30.90 Km
Other dist roads	1117.44 Km
Village roads	2425.23 Km
Inter village roads	2032.16 Km
Intra village roads	2359.83 Km

**j. Health:**

The health sector in Angul district operates through a multi-tiered system of healthcare facilities supported by government institutions, private providers, and voluntary organizations. Services are delivered through the District Headquarters Hospital, CHCs, PHCs, and Health & Wellness Centres, complemented by private hospitals and clinics. Together, these institutions work to improve accessibility, affordability, and the overall quality of healthcare across the district.

**Table-10**  
**Category-wise Distribution of Health Institutions and Bed facilities**

<b>Category</b>	<b>Units</b>
Medical college/DHq Hospitals	1 No.
Sub divisional hospitals including mobile	3 Nos.
Bed facilities	990 Nos.
Homoeopathic dispensaries	19 Nos.
Ayurvedic dispensaries	16 Nos.
CHC	9 Nos.
PHC	33 Nos.
Health Subcenter	166 Nos.
Mobile Health Unit	1 No. of MHU & 16 Nos. of MHT

**k. Tourist places:**

There are 13 nos. of tourist center such as Angul, Banarpal, Bhimkand, Binikei, Bulajhar, Deulajhari, Tikarapada, Talchar, Handapapatrapada, Hingulapitha, khuladi, Rengali and Derjanga as identified by Department of Tourism and culture, Odisha. During 2023 the numbers of Domestic tourists were 435224 and foreign tourists were 1228 who visited the tourists' sports of the district.

**Table-11**  
**List of Tourists Places**

<b>Year</b>	<b>Domestic Tourists</b>	<b>Foreign Tourists</b>
<b>2020</b>	206757	119
<b>2021</b>	229257	59
<b>2022</b>	335699	874
<b>2023</b>	435224	1228

### **l. Forest areas:**

The forests in Angul district, spread across both reserved and protected categories, play a vital role in maintaining ecological balance, biodiversity conservation, carbon sequestration, and supporting soil and water conservation efforts. They also provide essential livelihoods for local communities through non-timber forest products, eco-tourism, and minor forest produce collection. As per the latest available official records from the district administration, the forest area constitutes approximately 35.78% of the district's total geographical area (1041.22 sq km out of 2909.54 sq km), underscoring Angul's significant environmental importance within Odisha despite its industrial prominence.

**Table-12**  
**Forest Area Statistics – Angul District**

<b>Category of forest</b>	<b>Area in ha</b>
Reserve Forest	51357.137
Proposed Reserve Forest	21845.631
Unclassified Forest	54.2
Demarcated Protected Forest (DRF)	488.068
Village Forest	694.0
Other forest under Revenue Dept	29682.7
<b>Total</b>	<b>104121.736</b>

### **m. Education:**

Angul District features a robust network of educational institutions, from primary and upper primary schools to high schools, higher secondary schools, degree colleges (e.g., Government Autonomous College, Angul; Talcher Autonomous College), and technical institutions (polytechnics, ITIs, and engineering colleges).

The Government of Odisha, along with private partners, is actively enhancing access, infrastructure, and quality through initiatives like Samagra Shiksha, 5T reforms, smart classrooms, and skill development programs, with special focus on rural and tribal areas to reduce dropout rates and improve learning outcomes.

**Table-13**  
**Category-wise Number of Educational Institutions along with students enrolled– Angul District**

<b>Educational Institution</b>	<b>Details</b>	<b>Number</b>
Primary school	No. of Schools	746
	No. of Enrolment	96064
	No. of Teacher	3499
	Pupil Teacher Ratio	27.45
Upper Primary School	No. of Schools	669
	No. of Enrolment	62646
	No. of Teacher	3751
	Pupil Teacher Ratio	16.70
Secondary School	No. of Schools	291
	No. of Enrolment	37786
	No. of Teacher	2297
	Pupil Teacher Ratio	16.45
Higher Secondary	No. of Schools	57
	No. of Enrolment	23247
	No. of Teacher	549
	Pupil Teacher Ratio	42.34

**n. Culture & Heritage:**

Angul district is very much rich in its fairs and festivals. Laxmi Puja is celebrated in the city of Angul. The celebration starts from Kumar Purnima and continues for long 11 days. Ganesh Puja of Talcher is one of the most famous festivals celebrated in the district. Amb Nua (fresh mango eating), Raja, Gammha Purnima, and Push Punei are functions celebrated by the people with much enthusiasm. Further to highlight, the Hingula Jatra of Talcher and Viswakarma Puja of Angul are of immense importance. The number of fairs and festivals observed in the district showcase its varied culture vividly.

#### 4. GEOLOGY OF THE DISTRICT:

The district can be broadly divided into five sectors such as central, northern, southern, eastern and north-central sectors. The Eastern Ghat Super-group of rocks occurs in the southern sector, whereas the rocks of Gondwana Supergroup, Gorumahasani and Lower Bonai Groups occur in the central, north-central and northernmost sectors respectively. The Quaternary sediments overlie the above groups of rocks and occur in the south, central and eastern parts of the district. The rocks of Eastern Ghat Supergroup, Gorumahasani Group and Lower Bonai Group are overlain by laterites (both in-situ and transported). The Eastern Ghat Super-group of rocks mainly comprises quartz - feldspar -garnet - sillimanite - graphite schist /gneiss, garnetiferous quartzite, charnockite, pyroxene granulite, leptynite and augen gneiss. The meta-sedimentaries of Gorumahasani Group constitute quartzite, gritty quartzite, and quartz - mica schist. Fuchsite quartzite, quartz - chlorite schist, hornblende schist, and metabasics. The Lower Bonai Group constitutes biotite gneiss, biotite-hornblende granite gneiss and granodiorite. Meta-sedimentaries of Lower Bonai Group consist of ferruginous shale, cherty shale, phyllite, sandstone and conglomerate. The Gondwana Supergroup consists of sandstone, shale, conglomerate and fire clay. The Quaternary sediments mainly consist of sandy clay with calcareous concretions, coarse to fine sand, silt and clay.

The geological succession in the district is as follows:

#### STRATIGRAPHY:

AGE	GROUP/SUPER GROUP	FORMATION	LITHOLOGY
Holocene	Quaternaries	Brahmani / Mahanadi formation	Alluvium
Upper Pleistocene to Holocene		Kaimundi formation	Gray sandy clay with calcareous concretions
Pleistocene	Tertiaries		Laterite / Latosol (in situ)
Permian to Triassic		Mahadeva Formation	Sandstone. shale
Permian	Gondwana Supergroup	Barakar, Barren Measures. Raniganj & Damuda Formations (Unclassified)	Conglomerate. sandstone, shale, coal

Carboniferous (?) to Permian	Talchir Formation	Sandstone, shale, tillite
Archaean to Palaeoproterozoic	Lower Bonai Group	Gabbro Metavolcanics Granite, biotite gneiss, biotite - hornblende granite gneiss, granodiorite
	Gorumahisani Group	Ferruginous shale, cherty shale with ash IBT and tuts, mangariferous shale/ phyllite Gritty sandstone, orthoquartzite, conglomerate Metabasics
Archaean	Granitoids	Quartzite, sericite schist, quartz schist, quartz -mica schist, mica schist, micaceous quartzite  Actinolite quartzite, tremolite - actinolite schist
	Charnockite Group	Acid and intermediate charnockite
	Eastern Ghat Supergroup	Basic charnockite, pyroxene granulite
	Khondalite Group	Quartz-feldspar-garnet- sillimanite graphite schist/ gneiss Coarse crystalline quartzite, quartz- sillimanite schist. garnetiferous quartzite

Angul district is enriched with many valuable economic minerals like coal, Kyanite, graphite, fireclay, china clay, precious and semi-precious stones, dimension and decorative stones etc.

### Coal:

Angul district occupies a significant position in the mineral map of India because of its vast resources of coal in the Talcher coal field. A total reserve of 50,406 million tonnes of coal of all categories has been estimated in the district in Talcher coalfield. The Karaharbari and Barakar formations belonging to Damuda series are coals bearing. Coal produced in this area is mostly used for power generation purpose.

**Fireclay:**

Fireclay occurs sporadically within a stretch of 15 sq. km area in and around Badaganduri, Kansamunda and Telisinga villages of Kaniha Block, Angul district. In Talcher Lower Gondwana basin, the fireclay beds usually overly the coal seams. Fireclay also occurs in Handapa area around Kakarpani, Ichhapur villages. The total fireclay resource of the district has been estimated at 1.22 million tonnes. This fireclay contains Lower Gondwana plant fossils like Glossopteris and Gangompteris.

**Kyanite:**

Kyanite occurrences are reported around Magarmuhan and Bankoli villages of Pallahara sub-division. In Magarmuhan, Kyanite occurs in association with quartzite-kyanite-schist and quartz-chlorite-kyanite schist extending over a length 1.5 km with an average width of 5 m. A reserve of 6000 tonnes of Kyanite has been inferred upto a depth of 1.5 m with  $Al_2O_3$  content varying from 19.02% to 53.81% and silica content varying from 32.84 % to 54.07 %.

**Graphite:**

Incidence of graphite are recorded in the khondalite suite of rocks within a 25 km long and 10 km wide belt extending in NW-SE direction between Dondatopa and Patharkupa of Athmallik sub-division. The graphite occurs as flakes and disseminations. The important locations are Kamalpur, Dandatopa, Bhuasuninali, Adeswar, Girida, Akharkata, Sanrohila, Lanchi, Govindapur, Polamahal, Siariamalia, Cherkhandi, Karadagadia, Dhauragoth, Brahmanidei and Padmapokhari. Graphite occurrence near Dandatopa is high grade and pocket type where the F.C. content varies between 54% to 77 %. In the remaining areas, graphite occurs as disseminations and flakes in khondalites with F.C. content ranging from 5 % to 15 %. Besides the above, occurrences of graphite are reported around Badakantakul, Kanja and Talisara in Angul sub-division.

**China clay:**

China clay occurs in Panduripathar area of Athmallik sub-division. It extends over a strike length of 250 m with an average width of 150 m.

**Precious and Semi-Precious Stones:**

Garnet (pink, violet, red and honey yellow varieties), red corundum, moonstone, blue Kyanite etc. have been reported in Nuagaon, Parhang, Burubura, Kulad, Karanpal area of the district.

**Manganese Ore:**

Floats of Pyrolusite and psillomelane are strewn over the ground near Teleipathar, Pathartaila and Akharkata village.

**Decorative and Dimension stone:**

Granite, granite-gneiss, porphyritic granite gneiss and charnockites exposed between Boinda and Athmallik along the roadside are suitable for decorative and dimension stone. 4800 cu.m of decorative and dimension stone has been estimated in Govinda Panasahi and Durgapur Panasahi.

Other than the above-mentioned minerals, minor minerals such as river sand, laterite slabs, building stone/black stone/road metals, morrum, brick earth etc. are also available in the district.


## **5. DRAINAGE AND IRRIGATION PATTERN:**

Drainage and irrigation patterns describe how water naturally flows across a landscape and how it is managed for human use. Drainage patterns reflect the arrangement of rivers and streams shaped by the terrain, geology, and climate of an area. Irrigation patterns, on the other hand, show how water from these natural systems is captured, stored, and distributed to support agriculture and other needs. Together, they provide insight into both the natural hydrology of a region and the human interventions used to optimize water resources. The drainage of the district is mainly controlled by rivers like Mahanadi, Brahamani, Tikira and their tributaries. Major part of the district is irrigated through canal irrigation from Rengali dam on river Brahamani.

### **i. Drainage pattern:**

Brahmani and Mahanadi are the two major rivers of the district. Both these rivers have numerous perennial and non-perennial tributaries. Most part of the district lies within the Brahmani basin while the Mahanadi basin spreads over Athmallik subdivision and southern part of Angul sub-division. The Brahmani River which is the second longest river in Orissa flows through Talcher subdivision. The major portion of the district is drained by Brahmani River and its tributaries. The Brahmani flows in a general SE direction, broadly parallel to the general strike trends of the prevalent rock formations, but locally guided by major joints and faults. The major tributaries of Brahmani are Tikra Jhor, Singhara Jhor, Samakoi, Nandira Jhor, Gambhira, Nigra, Bade Jhor etc. These major streams show a general right-angle pattern while joining with the river Brahmani. The Mahanadi flows along the south-west boundary of the district, parallel to the strike of Khondalites and is guided by a major shear zone. The major tributaries of this river are Karandi Jhor, Ghosar Jhor, Sindol Jhor, Chanagorhi and Malia Jhor etc., all flow from the northern side of the river originating in Athmallik and Angul subdivisions. The river Mahanadi though flows in a general SE direction, but occasionally flows due south or east at places.

The Angul district has a mainly dendritic drainage pattern, with some parallel drainage in the hills. Rivers are used for irrigation through bunds and medium dams. The Darjanga Reservoir, about 3 km east of Angul town, is the area's main surface water source.



*Fig 3: Drainage Pattern of Angul District*

## ii. Irrigation Pattern:

Irrigation in Angul district is largely dependent on the monsoon, with surface water from reservoirs and medium irrigation projects, along with groundwater, providing supplementary support. Crop production is highest during the kharif season. In irrigated areas, cereals cover about 40,856 ha, while in rainfed areas they cover 63,326.8 ha. Coarse cereals occupy 3,880.71 ha during the kharif season. Fibre crops are absent in kharif but cover 1,240 ha during the rabi season. Rabi production is dominated by oilseeds (8,492.2 ha) followed by pulses (4,208.3 ha). Summer cropping is generally absent.

The district has a total cropped area of 171,673 ha, of which 83,890 ha are rainfed and 87,783 ha are irrigated. Horticultural and plantation crops—such as vegetables, condiments, sugarcane, and other plantation crops—are mostly found in rainfed areas, covering 26,635 ha.

Angul district is supported by two medium irrigation projects. The Derjung Medium Irrigation Project, built on the Ningara and Matalia rivers in Angul block, has a catchment area of 399 sq km and a CCA of

7,392 ha. The Aunli Medium Irrigation Project, constructed on the Aunli river in Chhendipada block, has a 150 sq km catchment area with a CCA of 1,746 ha in kharif and 300 ha in rabi.

Additionally, the district receives significant irrigation support from the Rengali Dam on the Brahmani River, which provides regulated water supply for agriculture in parts of Angul, enhancing irrigation reliability during both kharif and rabi seasons.

## 6. LAND UTILISATION PATTERN:

The land-use pattern of Angul district reflects a balanced distribution among agriculture, forestry, and other uses. A substantial portion of the district is covered by forests, while agriculture continues to dominate in the non-forest areas. Additional categories include land under non-agricultural use, fallow land, and cultivable waste. Together, these patterns underscore the district's reliance on natural resources for both ecological stability and economic livelihood. The Land utilization pattern of Angul district is as follows:

*Table-14*  
*Land utilization pattern of Angul district*

SI No	Landuse	Area in Ha
1	Forest Area	272000
2	Misc. trees & Grooves	23000
3	Permanent Pasture	36000
4	Culturable Waste	19000
5	Land put to Non Agri Use	28000
6	Barren &Unculturable Land	17000
7	Current Fallow	19000
8	Other Fallow	17000
9	Net Area Sown	197000
10	Mining	10000
<b>Geographical Area</b>		<b>638000</b>

### a. Forest Profile of the District

Angul district in central Odisha has extensive forest cover of about 2720 km<sup>2</sup>, comprising mainly Moist and Dry Deciduous Forests, Sal forests, and mixed bamboo-rich areas. The forests provide valuable timber (sal, teak, bamboo), NTFPs such as kendu leaves, mahua, siali fibre, honey, and several medicinal plants. These forests support rich wildlife, protect watersheds, and contribute significantly to local livelihoods.

**b. Agriculture profile of the district:**

Agriculture remains a primary livelihood in Angul district, with farmers adopting diverse practices including intensive paddy cultivation, mixed cropping, crop rotation, pulses-oilseeds intercropping, and horticulture for improved yields.

Angul falls under the Mid Central Table Land agro-climatic zone and comprises eight blocks: Angul, Banrapal, Chhendipada, Athamallik, Kishorenagar, Pallahara, Talcher, and Kaniha. Parts of the district, particularly in riverine and canal-irrigated areas along the Brahmani River, benefit from medium/major irrigation projects, while upland and tribal-dominated blocks (Pallahara, Chhendipada, Athamallik) remain largely rainfed.

*Table-15  
Details of cultivated area tahasil wise*

<b>SL.NO.</b>	<b>TAHASIL</b>	<b>CULTIVATED AREA (IN HA)</b>
1	Angul	18353
2	Banrapal	12954
3	Banrapal	25559
4	Athamallik	26277
5	Kishorenagar	22129
6	Talcher	3363
7	Kaniha	15461
8	Pallahara	17788
<b>TOTAL</b>		<b>141884</b>

The district has fairly developed agriculture in irrigated pockets, supporting double-cropping and contributing to food security, while rainfed areas focus on drought-resistant crops.

Four major types of soils are found in the district: Red lateritic soils (predominant in uplands, suitable for pulses like arhar, oilseeds, and horticulture); red and yellow soils (suitable for rice-pulse sequences); sandy soils (ideal for groundnut and pulses); and alluvial soils along river basins (highly fertile for paddy, vegetables, and spices).

**Table-16**  
**Land use details of District Agricultural Area**

Sl No.	District Agriculture Area		Land Use (Fig. in Ha.)
1	Geographical Area		432458
2	Cultivable Area		200575
3	Cultivated Area	High	68111
		Medium	49411
		Low	24362
		Total	141884
4	Paddy Area (Kharif)	High	17770
		Medium	48218
		Low	24232
		Total	90220
5	Cropping Intensity	Year	Cropping Intensity %
		2019-20	141%
		2020-21	140.5 %
		2021-22	137 %
		2022-23	153 %
		2023-24	155%
6	Irrigation Potential	Kharif	50368 Ha.
		Rabi	39651 Ha.
7	Total nos. of GPs	Total number of GP	225 nos.
		Village	1920 nos.
		NAC	2 nos.
		Municipality	1 nos.
8	Major Crops	Kharif	Paddy, Maize, Green gram, Red gram, Groundnut
		Rabi	Green gram, Black gram, Groundnut, Mustard, Kulthi

**c. Horticulture profile of the district:**

The Horticulture Department in Angul district focuses on enhancing the production and productivity of major fruit crops commonly grow in the region, such as mango, guava, citrus, banana and papaya. The department works toward strengthening the horticulture sector by promoting improved cultivation practices, encouraging and adopting of high-yielding varieties, and facilitating efficient use of available resources.

**Table-17**  
**Fruit Plantation Data for Angul District**

Year		2019-2020	2020-2021	2021-2022	2022-2023	2023-2024	Total
<b>Fruit Plantation (Area in ha/ Nos)</b>	<b>Mango Normal (ha.)</b>	130	120	130	120	200	<b>700</b>
	<b>Cashew (ha.)</b>	70	120	112	155	250	<b>707</b>
	<b>Mango High/ Medium Density (ha.)</b>	155	160	180	110	150	<b>755</b>
	<b>Banana TC (ha.)</b>	10	8	5	48	38	<b>109</b>
	<b>Papaya (Nos)</b>	2000	2500	2200	20000	12080	<b>38780</b>
	<b>Litchi (ha.)</b>	2	0	0	19	17	<b>38</b>
	<b>Pine Apple (ha.)</b>	0	0	0	0	0	<b>0</b>
	<b>Pomegranate (ha.)</b>	0	0	0	0	0	<b>0</b>
	<b>Amla (ha.)</b>	0	0	0	0	0	<b>0</b>
	<b>Mixed Fruit</b>	0	0	0	0	0	<b>0</b>
	<b>Guava (ha.)</b>	5	3	2	52	50	<b>112</b>
	<b>K. Lime (ha.)</b>	12	15	20	16.5	15	<b>78.5</b>
	<b>Black Pepper (Nos)</b>	0	0	0	0	0	<b>0</b>
	<b>Apple (ha.)</b>	0	0	0	0	0	<b>0</b>
	<b>Orange (ha.)</b>	0	0	0	0	0	<b>0</b>
<b>Tamarind (ha.)</b>	0	0	0	0	0	<b>0</b>	
<b>Name Of Scheme</b>	Central and State Plant	Central and State Plant	Central and State Plant	Central and State Plant	Central and State Plant		

In addition to fruit crops, the department is also placing significant emphasis on the development of perennial crops and vegetable cultivation. By supporting farmers with modern techniques, quality planting materials, and appropriate crop management practices, the department aims to ensure year-round production, diversify income sources, and enhance nutritional security in the district.

**Table-18**  
**Perennial and Vegetable Cultivation Data of Angul District**

Sl No.	Year	Perennial crop cultivation (Lemon Grass)	Vegetables (Area in ha/Unit) 1 unit (Mushroom) = 150 bed		(Area in ha)		Name of scheme
			Hybrid vegetable (Ha.)	Mushroom	Cut flowers	Loose Flower	
1	2019-20	0	130	10	0	5	Central and State Plan
2	2020-21	0	120	10	0	7	Central and State Plan
3	2021-22	0	120	25	0	5	Central and State Plan
4	2022-23	0	520	485	0	23	Central and State Plan
5	2023-24	0	750	925	0	23	Central and State Plan
	<b>Total</b>	<b>0</b>	<b>1640</b>	<b>1455</b>	<b>0</b>	<b>63</b>	

The department aims to increase crop productivity while also supporting the overall socio-economic development of the farming community by providing technical assistance, training, and access to government schemes. The office is headed by the Deputy Director of Horticulture, who oversees planning, implementation, and monitoring of all horticulture-related activities across the district.

**d. Mining activities of the district:**

Angul district is richly endowed with significant mineral resources, which play a crucial role in supporting Odisha's industrial growth and contributing substantially to the State Exchequer. The district hosts deposits of coal, fireclay, laterite, and other minor minerals, making it one of the key mining zones in the state.

Angul is largely self-reliant in terms of minor mineral, including road metal (stone), sand, morrum, and laterite, which are widely utilized in construction, infrastructure development, and industrial activities across the district.

## 7. SURFACE WATER AND GROUND WATER SCENARIO:

The drainage systems i.e. rivers of the district get filled with water during the monsoon and the gradually it decreases from the month of January to June each year. In the summer season all rivers become almost dry excepting narrow flow of water within the basin.

The variation of ground water table in the district is as follows:

*Table-19*  
*List of Depth of Water level*

Depth of water level (mbgl)/ Period	April	August	November	January
Minimum	2.55	0.30	0.60	2.10
Maximum	18.8	9.70	15.30	18.10

Angul district's water scenario is characterized by both surface and groundwater resources. The district has a significant groundwater potential, particularly in the Banarpal block, where the groundwater availability is estimated to be around 94 million cubic meters (MCM). The Ground Water Development department of the Odisha government is actively involved in managing groundwater resources. They have a dedicated team who can be contacted for groundwater-related matters in Angul district. While there isn't specific information on surface water resources in Angul district, the district's water requirements are likely supported by nearby water bodies and rivers. To get more detailed information on surface water resources, it would be best to consult the Water Resources Department of the Odisha Government or local authorities. Overall, Angul district seems to have a favorable groundwater scenario, with opportunities for further development and management.

### **Surface Water:**

In Angul the surface water sources include the Brahmani and Mahanadi rivers and their tributaries, along with canal systems, irrigation canals, reservoirs, and minor irrigation tanks. These sources meet a portion of the district's drinking and irrigation requirements, although the overall irrigation coverage remains limited, making much of the district rain fed. Seasonal variability in rainfall leads to fluctuations in surface water availability, and the extent of utilization depends largely on river flow conditions and storage in existing tanks and canals. Despite this, surface water continues to serve as an important resource for agriculture, domestic use, and industrial operations in the district.

## Ground Water:

Groundwater in Angul occurs within hard crystalline Precambrian formations and semi-consolidated Gondwana formations, where it is stored in the weathered zone and deeper fractured rock aquifers. Groundwater studies indicate that blocks such as Banarpal have a net annual groundwater availability of approx. 93.5MCM, with a gross draft of about 22.5 MCM, resulting in a groundwater development stage around 24% which falls within the safe category. Seasonal water-level fluctuations typically range between 2 to 4 meters, reflecting moderate recharge conditions influenced by monsoon precipitation. Groundwater plays a vital role in meeting domestic, agricultural and industrial water demands, and there remains considerable scope for enhancing availability through artificial recharge structures, rainwater harvesting and scientific groundwater management practices.

The chemical quality of ground water in the district is monitored annually on a routine basis by CGWB through its national Hydrograph Network Stations. Quality of ground water from deeper aquifers was assessed during the Exploration activities like drilling and pumping tests. Apart from these, a number of special studies have been carried out by CGWB in the area on ground water quality and its pollution aspect.

**Table-20**  
***The chemical quality of ground water in the district***

Parameter	Unit	Shallow (Aquifer-I)			Deep (Aquifer-II)	
		Minimum	Maximum	Avg	Minimum	Maximum
pH	-	7.36	8.69	8.11	7.38	8.44
EC	mS/cm	180	<b>4007</b>	921	330	1073
TDS	mg/L	87	1951	449	200	547
TH	mg/L	40	<b>1355</b>	<b>314</b>	160	<b>395</b>
TA	mg/L	50	<b>660</b>	193		
Ca	mg/L	6	<b>340</b>	61	14	76
Mg	mg/L	0.11	<b>197</b>	39	7	74
Na	mg/L	1	370	43	12	120
K	mg/L	0.09	121	5	0.1	31
CO <sub>3</sub>	mg/L	0	66	1	0	72
HCO <sub>3</sub>	mg/L	61	781	232	189	451
NO <sub>3</sub>	mg/L	0.6	<b>105</b>		<1	9
Cl	mg/L	7	<b>1127</b>	134	14	138
SO <sub>4</sub>	mg/L	0.21	272	43	<1	53
F	mg/L	0.06	<b>3.80</b>	0.56	0.1	<b>1.85</b>
Cu	ppm	0	0.03	0.01		

Fe	mg/L	0	<b>0.75</b>	0.15		
Mn	ppm	0	0.25	0.05		

Based on the chemical analysis of water samples from different sources, it was observed that, almost all chemical parameters lie within permissible limit for drinking and irrigation purpose except few samples of some isolated pockets. Higher fluoride ( $F > 1.5\text{ppm}$ ) has been recorded numerous locations.

## 8. RAINFALL AND CLIMATIC CONDITION:

The district of Angul experiences a largely sub-humid climate, with a well-defined seasonal cycle that significantly influences its agriculture, water resources and socio-economic landscape. The summers, during April and May, are generally hot with dry to sub-humid condition and the winters, during December and January, are cool and pleasant. The temperature goes as high as up to 45°C in the summer and up to 7°-8° C during peak winter.

The southwest monsoon, active from mid-June to September, delivers most of the district's rainfall, contributing to a long-term annual average of about 1600 mm. The variability in rainfall, particularly during crucial monsoon months, often affects Kharif cultivation and water availability. Understanding these rainfall patterns is essential for effective groundwater management, land-use planning, and promoting sustainable development across the district. The rainfall statistics of the district for last six years is given below in table-21.

**Table-21**  
*The rainfall statistics of the district for last five years (in mm)*

Year/Month	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	TOTAL
2019-20	241.2	607.6	1208.8	1812.4	2475.2	2166.5	1111.0	0.0	29.2	196.5	611.6	592.6	11052.6
2020-21	879.7	614.8	1884.1	1904.6	4691.8	1038.6	1408.7	0.0	0.0	0.0	5.0	35.2	12462.5
2021-22	44.8	1283.3	1165.4	2019.2	970.8	3273.6	373.1	286.1	318.2	286.2	19.3	0.0	10004.0
2022-23	3.2	524.50	1313.2	2361.1	3218.6	803.9	754.9	0.0	0.0	0.0	0.0	337.50	9316.9
2023-24	306.7	267.40	2221.9	2468.81	2571.1	2130.9	1004.6	77.3	78.5	153.4	100.8	577.5	11958.91
2024-25	12.13	52.12	115.74	322.1	349.55	254.9	78.37	6.81	28.62	0.0	12.18	20.63	1253.15
NORMAL	27.4	63.7	197.6	329.6	336.7	216.8	89.6	18.2	6.6	10.4	12.8	17.3	1326.7

## 9. DETAILS OF QUARRY LEASES:

SI No	NAME OF THE MINERAL	NAME OF THE LESSEE	ADDRESS & CONTACT NO OF LESSEE	MINING LEASE GRANT ORDER NO. AND DATE	AREA OF MININ G LEASE (ha)	PERIO D OF MININ G LEASE (INITIA L)	PERIO D OF MININ G LEASE (1 <sup>ST</sup> /2 <sup>ND</sup> ... RENE WAL)	DATE OF COMMENC EMENT OF MINING OPERATIO N	STATUS (WORKIN G/NON- WORKING /TEMP. WORKING FOR DESPATC H ETC.)	CAPTIVE / NON- CAPTIVE	OBTAINED ENVIRONM ENT CLEARANC E (YES/NO), IF YES LETTER NO WITH DATE OF GRANT OF EC	LOCATION OF THE MINING LEASE (LATITUDE, LONGITUDE, VILLAGE, KHATA NO. PLOT NO. AND KISSAM)
1	2	3	4	5	6	7	8	9	10	11	12	13
<b>TAHASIL-PALLAHARA (NEW SOURCE)</b>												
1	Kutamunda Morrum Quarry	Bidder Not Finalised	Bidder Not Finalised	Bidder Not Finalised	3.864	Quarry Operati on Not Started	NA	Quarry Operation Not Started	NEW	Quarry Operation Not Started	NO	LAT-21.23 LONG-85.145 KHATA-12: PLOT- 87 & 6: KISAM- GOCHARA AND BASTI JOGYA

**NB:** The omitted Columns in the above table are:

Column-15: Method of Mining (Opencast/Underground) – All are Opencast

Column-16: Reasons for Non-Working – Annexure (V) – Remarks

## 10. DETAILS OF ROYALTY COLLECTED:

SL NO	NAME OF THE TAHASIL	NAME OF THE SOURCE	REVENUE COLLECTION IN LAST THREE YEARS (IN RS)		
			2022-23	2023-24	2024-25
1	KISHORENAGAR	AMBAPAL MORRUM QUARRY	0.00	0.00	1,29,645.00
2		SANAGOBINDAPUR MORRUM QUARRY	0.00	0.00	1,21,131.00
3	PALLAHARA	KUTAMUNDA MORRUM QUARRY	0.00	0.00	0.00

*NB: Values shown as 0.00 indicate that the quarry was non-operational during the period.*

## 11. DETAILS OF PRODUCTION OF MINOR MINERAL (cum):

SL NO	NAME OF THE TAHASIL	NAME OF THE SOURCE	PRODUCTION OF LAST THREE YEARS (IN CUM)		
			2022-23	2023-24	2024-25
1	KISHORENAGAR	AMBAPAL MORRUM QUARRY	0.00	1306	0.00
2		SANAGOBINDAPUR MORRUM QUARRY	0.00	36	0.00
3	PALLAHARA	KUTAMUNDA MORRUM QUARRY	0.00	0.00	0.00

*NB: Values shown as 0.00 indicate that the quarry was non-operational during the period.*

## 12. MINERAL MAP OF THE DISTRICT:




Fig 4: Mineral Map of Angul District

**13. LIST OF LETTERS OF INTENT (LOI) HOLDERS ALONG WITH VALIDITY:**

<b>SL NO.</b>	<b>NAME OF THE MINERAL</b>	<b>NAME OF THE LESSEE</b>	<b>ADDRESS &amp; CONTACT NO. OF INTENT HOLDER</b>	<b>LETTER OF INTENT ORDER NO. &amp; DATE</b>	<b>AREA OF MINING LEASE TO BE ALLOTTED (HA)</b>	<b>VALIDITY OF LOI</b>	<b>USE (CAPTIVE/ NON-CAPTIVE)</b>	<b>LOCATION OF THE MINING LEASE (LATITUDE &amp; LONGITUDE)</b>
NOT APPLICABLE								

#### **14. TOTAL MINERAL RESERVE AVAILABLE IN THE DISTRICT:**

Total mineral reserve of morrum was access after detail study or grant of potential area, which may increase after detail investigation as per the processes mentioned below.

- (i) Blocks were identified based on geological studies through field observation.
- (ii) Mineable resource was calculated by considering detail prospecting.
- (iii) Area calculated as per GPS co-ordinates and information obtained from local people.  
Land details need to be verified from revenue record.

Since this is an interim report, as per the present requirement of minerals, more such blocks need to be identified and the data should be updated periodically, after certain intervals to update the data bank of DSR.

Summary of Identified Mineral Potential: Annexure- V

## **15. QUALITY/GRADE OF MINERAL:**

Morrum in Angul district is derived mainly from the weathering of lateritic formations and associated country rocks such as weathered rock fragments, iron-rich clay, and silt. It is generally brownish to reddish in colour, moderately compact, and friable in nature. The material is well graded, with a balanced proportion of coarse and fine fractions, making it suitable as a subgrade and sub-base material in road construction, filling, and embankment works.

The morrum available in the district is considered to be of medium to good quality, possessing adequate load-bearing capacity and binding characteristics, though occasional variability in clay content may affect strength in localized pockets. Overall, the morrum deposits over here are considered to be of economically important quality among the minor minerals of the district. With proper extraction and specific management, these deposits provide a reliable and cost-effective resource for the growing infrastructure and developmental needs of the region.

## 16. USE OF MINERAL:

Morrum serves as a low-cost and easily workable material that supports both infrastructure development and local utility works, making it an important minor mineral resource. It is a versatile construction material widely used in civil and infrastructural works due to its easy availability and workable properties. Its common uses include:

- i. Road Construction:**
  - Used as a subgrade and sub-base material in road works because of its good compaction properties and adequate load-bearing capacity.
  - Provides a firm foundation and helps in reducing cost where high-grade aggregates are not required.
  
- ii. Filling and Levelling:**
  - Extensively used for filling of low-lying areas, pits, and depressions.
  - Acts as a levelling material in construction sites before laying foundations.
  
- iii. Embankment and Earthen Structures:**
  - Useful in the construction of embankments, bunds, canal banks, and rural roads due to its binding nature and stability.
  
- iv. Brick Kilns and Building Material:**
  - In some areas, morrum is used as a blending material in brick kilns to improve fuel efficiency and brick quality.
  - Mixed with clay or sand for minor construction and flooring purposes.
  
- v. Agricultural and Landscaping Use:**
  - Applied for farm roads and pathways in rural areas.
  - Used in landscaping works to prepare base layers for gardens and open grounds.


## 17. DEMAND & SUPPLY OF THE MINERAL:

Morrum is widely used for road works, embankments, and construction activities, leading to a consistent local demand. To meet this rising requirement within the district, it is proposed to raise morrum production in a planned and sustainable manner. This will not only help bridge the demand–supply gap but also contribute to district revenue and support the livelihood of local communities through enhanced employment opportunities. The district’s supply is derived from identified minor mineral sources, regulated to ensure sustainable extraction. This section briefly outlines the existing demand–supply status of morrum in Angul and supports planning for its responsible utilization which is furnished below in Table-22. The tentative annual demand for morrum in the district is met mainly from various tahasils within the district and from nearby areas.

*Table-22  
Demand and Supply of Minor Mineral Morrum for last three years (In Cum.)*

SI No.	Material Type	2021-22		2022-23		2023-24	
		Demand	Supply	Demand	Supply	Demand	Supply
1	Morrum	94,000	83,703	1,00,000	96,485	3,20,000	2,93,598

**18. MINING LEASES MARKED ON THE MAP OF THE DISTRICT:**



*Fig 5: Map Showing Morrum Quarry in Angul District*

**19. DETAILS OF AREAS HAVING CLUSTER OF MINING LEASES:**

CLUSTER NO.	QUARRY NAME	AREA (IN HA)	KHATA NO.	PLOT NO.	LOCATION	
					LAT	LONG
NO CLUSTER OF MORRUM AVAILABLE IN THE DISTRICT						

## **20. DETAILS OF ECO-SENSITIVE AREA:**

Satkosia Tiger Reserve, which partly lies within Angul district, is a key ecologically sensitive area. It encompasses the Satkosia Gorge, formed by the Mahanadi River cutting through the Eastern Ghats, and is recognized as a Ramsar wetland. The reserve supports diverse flora and fauna, including endangered species, and serves as a crucial riverine-forest ecosystem. Its protected status as a tiger reserve and sanctuary makes it one of the most significant eco-sensitive zones near Angul.

Any extraction of minor minerals such as morrum in or near Satkosia requires careful adherence to environmental regulations. The area is under consideration for an Eco-Sensitive Zone (ESZ), with buffer regulations to minimize ecological impact. Mining or quarrying activities near the reserve or its buffer zones are either restricted or require special clearances, making it important to plan sourcing from less-sensitive areas within the district. As per environmental protection guidelines, any extractive activities within or intruding into the ESZ would be rejected, ensuring that the ecological integrity of the sanctuary remains undisturbed.

## **21. IMPACT OF MINING ON THE ENVIRONMENT:**

Generally, the impact of mining activities on environment can be categorized as either primary or secondary. Primary Impacts are those, which are caused directly during operation of various existing projects. Secondary impacts are induced by expansion of project area, enhancement in production or addition of ancillary units by the project proponents themselves or dependent secondary and tertiary units. Morrum mining significantly impacts the environment by altering the landscape, leading to erosion and soil degradation. It causes air and water pollution from dust, emissions, and contaminated runoff, affecting air and water quality. Mining also disrupts flora and fauna by destroying habitats, reducing biodiversity, and changing local drainage patterns.

### **Impact on Landscape and Soil:**

- Land Degradation & Loss of Topsoil:

The removal of large amounts of morrum changes the natural topography, creating pits and altering the landscape permanently. Even removal of topsoil reduces soil fertility, affecting agriculture and vegetation growth. These uneven depressions and abandoned pits, which may later turn into waterlogged areas. This also weakens the surface, making it more prone to erosion by wind and rain resulting in acceleration of gullyng and degradation of land.

- Soil Contamination:

Mining operations can release heavy metals and other harmful elements into the soil, contaminating it.

### **Impact on Air Quality:**

- Dust and Particulate Matter:

Excavation, transportation, and handling of morrum generate dust and particulate matter, reducing air quality and potentially harming human health causing respiratory problems in local communities and workers.

- Gases and Emissions:

Machinery and equipment used in mining release gases and emissions that contribute to air pollution.

### **Impact on Water Quality and Availability:**

- **Water Pollution:**

Mining can lead to acid mine drainage and the dissolution of minerals, releasing toxic substances and heavy metals into surface and groundwater.

- **Surface Water Disruption:**

Rerouting or dams for mine operations can affect the flow of rivers and streams, impacting water availability for downstream users. Untreated pits may collect stagnant water, creating mosquito-breeding sites and affecting local health.

- **Groundwater Contamination:**

Pumping out water to prevent mine flooding or releasing contaminated water can affect groundwater quality and availability. It may lower groundwater levels too.

### **Impact on Noise Level:**

Since morrum is comparatively soft and occurs in loose or friable form, so blasting is not required for morrum mining. But, use of excavators, trucks, and machineries produce continuous noise thus disturbing local wildlife and human settlements.

### **Impact on Flora & Fauna**

- **Deforestation & Habitat Loss:**

Mining in forested or agricultural land causes removal of vegetation cover leading to habitat loss for birds, small mammals, and soil organisms, disturbing the ecological balance. Such mining operations destroy natural habitats, leading to the loss of vegetation cover and displacement of wildlife.

- **Loss of Biodiversity:**

The destruction of habitat results in a significant loss of biodiversity in the affected areas. Disturbance of vegetation and soil adversely affects plant diversity. Natural ecological succession gets interrupted.

### **Socio-Economic Impacts:**

Though mining provides livelihood, unregulated extraction causes long-term damage to community resources, conflicts may arise over land use and water availability.

If not managed properly, morrum mining causes irreversible damage to land, water, biodiversity, and human health. Adoption of sustainable mining practices, reclamation of mined-out land, dust suppression methods, and strict environmental monitoring is necessary to reduce its adverse impacts.

## **22. REMEDIAL MEASURES TO MITIGATE THE IMPACT OF MINING ON THE ENVIRONMENT:**

### **Air:**

Mitigation measures suggested for air pollution controls are to be based on the baseline ambient air quality of the project/cluster area and would include measures such as:

- Water spraying on haul roads, service roads and overburden dumps will help in reducing considerable dust pollution.
- Proper and regular maintenance of mining equipments have to be undertaken.
- Materials transported in trucks are to be covered with tarpaulin.
- The mine pit water, if any can be utilized for dust suppression in and around mine area.
- Information on wind direction and meteorology are to be considered during planning, so that pollutants, which cannot be fully suppressed by engineering techniques, will be prevented from reaching the nearby agricultural land/human habitat, if any.
- Comprehensive greenbelt around overburden dumps and periphery of the mining projects/clusters has to be developed and monitored to reduce to fugitive dust transmission from the project.
- Compaction of terraces, coir mat, geotextiling along dump slopes followed by plantation.

### **Water:**

- Construction of garland drains and settling tanks to divert surface run –off of the mining area to the natural drainage.
- Construction of checks dams/ gully plugs at strategic places to arrest silt wash off from broken up area, if required.
- Retaining walls with weep hole are to be constructed around the mine boundaries to arrest silt wash off in case of big quarries.
- The mined-out pits can be converted in to the water reservoir at the end of mine life. This will help in recharging ground water table by acting as a water harvesting structure.
- Periodic analysis of mine pit water and ground water quality in nearby villages are to be undertaken, if required.

- Domestic sewage from site office & urinals/latrines, if any provided within ML/QL areas is to be discharged in septic tank followed by soak pits.

**Noise:**

- Periodic maintenance of machineries, equipments shall be ensured to keep the noise generated within acceptable limit.
- Development of thick green belt around mining/cluster area, haul roads to reduce the noise.
- Conducting periodical medical checkup of all workers for any noise related health problems.
- Proper training to personnel to create awareness about adverse noise related effects.
- Periodic noise monitoring at locations within the mining area and nearby habitations are to be undertaken for big QL areas to assess efficacy of adopted control measures.

**Biological Environment:**

- Development of green belt/gap filling saplings in the safety barrier left around the quarry area/cluster area, if the safety zone areas are barren.
- Carrying out thick greenbelt with local flora species predominantly with long canopy laves on the inactive mined out upper benches.
- Development of dense poly culture plantation using local floral species in the mining areas at conceptual stage if the mine is not continued much below the general ground level.
- Adoption of suitable air pollution control measures as suggested above.

### **23. RECLAMATION OF MINED OUT AREA:**

As per statutory requirements, all mines and quarries are required to be properly reclaimed prior to final closure. Although, some quarries are proposed for closure during the current year, it shall be properly reclaimed prior to final closure, as stipulated in the final mine closure plan in respect of each of the quarries.

1. If, substantial amount of waste is there, the exhausted quarry can be fully or partly backfilled using the stored waste. The backfilled areas are to be brought under plantation of local species.
2. If the generation of waste is much less as in the case of minor mineral mining, the exhausted quarries can be reclaimed by
  - a. Plantation on the broken-up surface if the depth of quarry is not much below the surrounding surface level.
  - b. Conversion to water reservoir after stabilization of the slopes if the exhausted quarry continues much below the surrounding surface level. It is preferred to cordon the water reservoir either through wire fencing or retaining wall with plantation from the safety point of view.
  - c. Fly ash can be used to fill in the voids left by quarrying activities, effectively restoring the landscape to a more usable state. The fly ash, being a good substitute for soil, can be used to create a stable base for further development or landscaping as per mentioned in SOP provided by the R & DM Department with letter no. 24587 dated 07.07.2025.

Reclamation would be taken up only after exhaustion of the ore/mineral content from these areas. The exhausted minor mineral quarries of the district have been converted to water reservoirs.

## **24. RISK ASSESSMENT & DISASTER MANAGEMENT PLAN:**

The only risk involved relating to mining of morrum expecting natural calamities is slope failure and probable accidents due to high and ill maintained bench walls. This can only be addressed through making of regular benches and undertaking mining in benching pattern.

The Disaster Management Plan (DMP) is supposed to be a dynamic, changing, document focusing on continual improvement of emergency response planning and arrangements.

The Disaster Management Plan is to be aimed to ensure safety of life, protection of environment, protection of installation, restoration of production and savage operations in the same order of priorities. For effective implementation of the DMP, it should be widely circulated through rehearsal/induction conducted by the respective department from time to time.

Quarrying activities, pose significant risks to workers, nearby communities, environment, and infrastructure. A comprehensive risk assessment and disaster management plan as envisaged for sustainable and safe operations in respect of different stone quarries of Jharsuguda District is enumerated below.

### **Potential Hazards in Quarrying:**

- Slope Failure- Collapse of quarry benches and walls due to over-excavation or weak lithology.
- Dust & Air Pollution- Caused by drilling, crushing, and transport. Affects respiratory health.
- Water Pollution- Run-off from quarry pits contaminating nearby streams or groundwater.
- Accidents- Due to equipment failure, falling rocks or sludge, etc.
- Fire & Explosion- Improper handling/storage of combustible fuels, electric equipment and machineries.
- Biodiversity Disturbance- Disturbance to flora/fauna in the vicinity of forested or eco-sensitive areas.
- Jarring noise from machinery and vehicles.

### **Consequences of Hazards:**

- Human Health: Hearing loss, respiratory diseases, injuries or fatalities.
- Environmental Degradation: Habitat loss, dust deposition on vegetation, water contamination.
- Legal & Financial Liabilities: Compensation, fines, closure orders from regulatory bodies.
- Community Unrest: Protests or opposition from affected villagers.

### **Disaster Management Plan (DMP):**

#### A. Preventive Measures

- Use of NONEL (non-electric) detonators to reduce vibrations.
- Dust suppression via water sprinkling and green belt development.
- Training of staff in safety protocols and emergency response.
- Establish green belts to reduce airborne dust migration

#### B. Emergency Preparedness

- On-site first aid facilities.
- Installation of sirens and warning signals before blasting.
- Communication plan with local administration and hospitals.
- Evacuation drills and safety signage at key locations.

#### C. Response Plan

- Immediate cordoning of accident site.
- Rescue operations under trained team leader.
- Communication with police, fire department, and health services.

#### D. Post-Disaster Management

- Medical treatment and compensation to affected persons.
- Repair of damaged infrastructure or payment of cost of repair in lieu thereof.
- Community engagement to restore trust.

### **Institutional Setup:**

- Disaster Management Team: Comprising site manager, safety officer (direct/contractual), medical assistant.

- Liaison with District Administration for coordinated action.

**Recommendations:**

- Quarry sites to be at a safe distance from habitations and eco-sensitive zones.
- Regular Environmental and Safety Audits.
- Integration of local communities in monitoring and awareness.
- Use of modern, low-impact mining technology.

**General responsibilities of employees' during an emergency:**

During an emergency, it becomes more enhanced and pronounced when an emergency warning is raised, the worker in-charge, should adopt safe and emergency shut down and attend to any prescribed duty. If no such responsibility is assigned, the workers should adopt a safe course to assemble at a specified point and wait for instructions. He should not resort to spread panic. On the other hand, he must assist emergency personnel towards objectives of DMP.

**Co-ordination with local authorities:**

The Mine Manger who is responsible for emergency will always keep a vehicle ready at site. In case of any eventuality, the victim will be taken to the nearby hospitals after carrying out the first aid at the site. The Manger should collect and store adequate information of the nearby hospitals, fire station, police station, village panchayat heads, taxi stands, medical shops, district revenue authorities etc. and use them efficiently during the case of emergency.

## 25. DETAILS OF THE OCCUPATIONAL HEALTH ISSUES IN THE DISTRICT

As per the guidelines of the Mine Rules 1995, occupational health safety has been stipulated by the ILO/WHO. The proponents will take necessary precautions to fulfil the stipulations. Normal sanitary facilities have to be provided within the lease area. The management will carry out periodic health checkup of workers.

Occupational hazards involved in mines are related to dust pollution, noise pollution, blasting and injuries from moving machineries & equipment and fall from high places. Directorate General Mines Safety (DGMS) has given necessary guidelines for safety against these occupational hazards. The management has to strictly follow these guidelines.

All necessary first aid and medical facilities are to be provided to the workers. The mine shall be well equipped with personal protective equipment (PPE). Further, all the necessary ported equipments such as helmet, safety goggles, earplugs, earmuffs etc. are to be provided to mine workers as per Mines Rules. All operators and mechanics are to be trained to handle fire-fighting equipments.

Tuberculosis (TB) remains a notifiable communicable disease and the district is covered under the National Tuberculosis Elimination Programme (NTEP), with ongoing efforts to ensure early diagnosis, free treatment, and community-based interventions. TB cases are reported from both rural and urban health institutions, with particular focus on high-risk and vulnerable populations. Despite the availability of diagnostic and treatment facilities, challenges such as patient compliance, remote habitation, and associated co-morbidities like malnutrition and diabetes continue to affect TB control efforts.

**Table-23**  
**Status of Tuberculosis (TB) diagnosed in the last five years in Sambalpur district**

SL. NO.	NAME OF BLOCK/TAHASIL	YEARS				
		2020	2021	2022	2023	2024
1	Angul	42	80	129	106	111
2	Athamallik	43	56	73	82	81
3	Banarpal	404	437	456	527	500
4	Chhendipada	70	97	144	145	135
5	Kaniha	62	86	90	85	63
6	Pallahara	120	148	198	207	200

7	R. K. Nagar	50	46	78	81	68
8	Talcher	110	215	233	236	214
<b>TOTAL</b>		<b>901</b>	<b>1165</b>	<b>1401</b>	<b>1469</b>	<b>1372</b>

There is no case of Silicosis found in the district within the time frame mentioned above.

## **26. PLANTATION OF GREEN BELT DEVELOPMENT IN RESPECT OF LEASES ALREADY GRANTED IN THE DISTRICT:**

Considering non-availability of adequate area within the lease barring the safety zone, the scope for plantation is very limited. This constraint is further multiplied due to mining and allied operations involving movement of heavy earth moving machines and transporting vehicles.

However, the mining lessees are insisted for raising plants within safety zones surrounding the lease areas. Apart from these, avenue plantation along haul roads is also carried out.

## **27. CONCLUSION:**

The District Survey Report for *Morrum (Minor Mineral)* in respect of Angul District has been prepared in accordance with Appendix-X, Para-7(iii)(a) of S.O. 3611(E) dated 25.07.2018 of the Ministry of Environment, Forest and Climate Change, Government of India, and in compliance with the orders of the Hon'ble Supreme Court dated 10.11.2021 in connection with C.A. Nos. 3661–3662 of 2020. This report compiles and analyzes information relevant to the development and mineral resource planning of the district, collected from various government departments including the Irrigation Department, Forest Department, Public Works Department, Revenue Department, Water Resources Department, ORSAC, and the Mining Department.

The District Survey Report for *Morrum (Minor Mineral)* in Angul district provides a comprehensive overview of the district's minor mineral resources, their distribution, and the regulatory framework governing their extraction. By integrating data from relevant government departments, the report highlights the current demand–supply scenario, environmental considerations, and areas where sustainable extraction may be permitted. Special attention has been given to ecologically sensitive zones and statutory compliance to ensure that mineral utilization aligns with environmental protection and developmental needs. This DSR is expected to guide the district administration in making informed, transparent, and environmentally responsible decisions regarding morrum mining and management.

**Annexure V:****FINAL LIST OF POTENTIAL MINING LEASES (EXISTING AND PROPODSAL):**

SI No	TAHASIL	LEASE DETAILS			AREA (IN HA)	DISTANC E (IN KM FROM PA/BR/W C)	DISTANC E FROM FOREST AREA (IN KM)	MINING LEASES WITHIN 500 METERS (IF YES CLUSTER AREA)	TOTAL EXCAVATION IN CUM / ANNUM CONSIDERING DIGGING DEPTH MAX AS 3 METERS	MINERAL TO BE MINED (IN CUM)	EXISTING / PROPOSED	REMARKS
		LEASE NAME	KHATA	PLOT								
1	PALLAHARA	KUTAMUNDA MORRUM QUARRY	12	87 & 6	3.864	PA:19.62 BR:11.2 WC:5	0	NO	13000	65000	NEW	

***NB:*** The resource estimation is tentative and the actual resource will be estimated as per the approved mining plan.

**FINAL LIST OF CLUSTER AND CONTIGUOUS CLUSTER DETAILS**

CLUSTER NO.	VILLAGE	AREA (IN HA)	TOTAL EXCAVATION (CUM)	TOTAL MINERAL EXCAVATION (CUM)
NO CLUSTER OF MORRUM AVAILABLE IN THE DISTRICT				


**CONTIGUOUS CLUSTERS:**

CONTIGUOUS CLUSTER NO.	CLUSTER NO.	NUMBER OF LEASES IN THE CLUSTER	DISTANCE BETWEEN CLUSTERS	VILLAGE	AREA OF CLUSTER (HA)	TOTAL MINERAL EXCAVATION (CUM)
NO CLUSTER OF MORRUM AVAILABLE IN THE DISTRICT						

**FINAL LIST TRANSPORTATION ROUTES FOR INDIVIDUAL LEASES AND LEASES IN CLUSTER:**

LEASE NO	NAME OF SOURCE (MORRUM)	TRANSPORTATION ROUTE NO.	NUMBER OF TIPPERS / DAY OF LEASE	NUMBER OF TIPPERS / DAY OF ALL LEASE ON ROUTE	LENGTH OF ROUTE IN KM	TYPE OF ROAD (BLACK TOPPED / UNPAVED)	RECOMMENDATION FOR ROAD (BLACK TOPPED / UNPAVED)	THE ROAD WILL BE CONSTRUCTED BY GOVT. / LEASE OWNER	ROUTE MAP & LOCATION
1	KUTAMUNDA MORRUM QUARRY	1	2	2	3.6	BLACK TOPPED	BLACK TOPPED	GOVT.	KANTIAPASHI_RENGALI ROAD_NH-149

**SOURCES OF MORRUM QUARRY LEASES MARKED ON DISTRICT SATELITE MAP**



**TRANSPORTING ROUTE OF MORRUM QUARRY LEASES MARKED ON DISTRICT SATELITE MAP**

